

Government of Western Australia Department of Water and Environmental Regulation

Shire of Kulin

Non-potable strategic community water supplies plan

Department of Water and Environmental Regulation Rural Water Planning | Shire of Kulin | March 2024 Department of Water and Environmental Regulation Prime House, 8 Davidson Terrace Joondalup Western Australia 6027 Locked Bag 10 Joondalup DC WA 6919

Phone: 08 6364 7000 Fax: 08 6364 7001 National Relay Service 13 36 77

wa.gov.au/dwer

© Government of Western Australia

March 2024

This work is copyright. You may download, display, print and reproduce this material in unaltered form only (retaining this notice) for your personal, non-commercial use or use within your organisation. Apart from any use as permitted under the *Copyright Act 1968*, all other rights are reserved. Requests and inquiries concerning reproduction and rights should be addressed to the Department of Water and Environmental Regulation.

Acknowledgements

Throughout the development of this Strategic Community Water Supply plan a number of people from the Rural Water Planning section in the Department of Water and Environment Regulation (the department) were involved:

Sherrie Anderson, Rosie Bell, Tracy Calvert, Mell Culhane, Elizabeth Tanner, Sandy Turton-Parkinson and Renae Thorpe.

The department would also like to thank the Shire of Kulin and the Water Corporation for their advice, support and assistance during the preparation of this plan.

For more information about this plan, contact Rural Water Planning, 1800 780 300.

Cover photograph: Dudinin Dam Tank, Kulin Shire.

Disclaimer

This document has been published by the Department of Water and Environmental Regulation. Any representation, statement, opinion or advice expressed or implied in this publication is made in good faith and on the basis that the Department of Water and Environmental Regulation and its employees are not liable for any damage or loss whatsoever which may occur as a result of action taken or not taken, as the case may be in respect of any representation, statement, opinion or advice referred to herein. Professional advice should be obtained before applying the information contained in this document to particular circumstances.

This publication is available at our website <u>wa.gov.au/dwer</u> or for those with special needs it can be made available in alternative formats such as audio, large print, or Braille.

Contents

Summary	1
Introduction	2
Strategic community water supplies and agricultural area dams	3
Shire of Kulin map	4
Strategic community water supply access	5
Overview of different fill points Swipe card systems Farm bots	5
Shire of Kulin SCWS sites	6
Description of community water supplies	7
Dudinin dam Dudinin dam site description Henderson Road Henderson Road description Holt Rock Holt Rock description Pingaring East dam Pingaring East dam Pingaring community dam Pingaring community dam description Pingaring CBH tanks Pingaring CBH tanks site description DiRusso dam DiRusso dam site description	8 9 10 11 12 13 14 15 16 17 18 19
Appendices	.21
Dudinin dam	21
Glossary	.22

Summary

Water supply planning is essential in rural areas and requires collaboration, involvement and participation from all stakeholders, including farmland communities, local government authorities (LGAs) and State Government agencies as part of an integrated approach to sustainable water supply for the future.

This plan provides information for the shire and farmers on the location of strategic community water supplies (SCWS) and how to access non-potable water for emergency stock watering and firefighting purposes, including what facilities are available at each site.

Introduction

Over the past 40 years recurrent water supply problems have affected the dryland agricultural region. Emerging climate changes are likely to increase the occurrences of low rainfall years, resulting in water shortages and restrictions in rural communities.

Facing long-term water security challenges, farmers are encouraged to proactively develop and maintain on-farm water infrastructure to better prepare for dry periods.

Rural water planning recognises the importance to prepare for these events and increase the opportunities to deliver an assured water supply to farmland communities in the dryland agriculture areas of Western Australia (WA).

SCWS planning is one of the key roles of the Department of Water and Environmental Regulation's (the department's) rural water planning program. The aim is to ensure dryland agricultural areas are safeguarded wherever possible against serious water deficiencies.

While landholder self-sufficiency must remain the primary objective, the rural water planning program recognises the importance of emergency off-farm water supplies to farming communities. It also builds on the SCWS network across the dryland agricultural area through the community water supplies partnership (CWSP) program and the agricultural areas (AA) dam works program.

Both programs establish and improve non-potable water supplies with an aim to ensure water is available for emergency livestock watering and firefighting. The CWSP program also aims to reduce reliance on potable scheme water supplies for non-potable needs and to increase water availability for public amenities such as sportsgrounds.

This SCWS plan has been compiled for the Shire of Kulin to provide a clear description of each of the SCWS in the shire available for firefighting purposes, and to farmers and farming communities in times of emergency.

Strategic community water supplies and agricultural area dams

A network of SCWS has been developed across WA's dryland agricultural areas to provide an important source of non-potable water for farming and firefighting needs.

These supplies are for emergency use in times when low rainfall causes on-farm supplies to become depleted and farmers need to travel to access water for livestock.

Vesting of the strategic dams, tanks, bores and other assets in each LGA varies, with some sites owned by government agencies (including the department), Water Corporation, the LGA itself, or by private entities where an agreement has been made to allow access.

It is important that these water supplies are carefully managed to ensure water is available during times of emergency.

The department keeps in regular contact with rural communities to monitor the condition of SCWS and identify and address any maintenance issues.

Each year, the department's rural water program undertakes works to maintain and upgrade sites vested with it and sites in priority areas vulnerable to dry conditions.

AA dams have been developed since the early 1990s to provide water and support the growth of farming in the dryland agricultural area. There are about 480 of the original 681 AA dams that range from high value to no value in terms of their condition and serviceability.

SCWS are a subset of the AA dams that are reliable, in good to excellent repair and retain a high value. The department uses LGA maps to determine which sites are worth upgrading and to identify priority areas to develop new SCWS.

The following map (Figure 1) shows the location of the strategic community supplies and AA dams in the Shire of Kulin, with symbols indicating the capacity, vesting and values of each site.

Strategic Community Water Supplies Table	Vater Supplies Table	NAREMBEEN	BEEN	AA Dams Table	ıble				
Resource	Type	Capacity (KL) V	Vesting	Point Dam Name	Vesting	ing	Point 1	Point Dam Name	Vesting
Catchment Tank - Dandagin Rd	Tank (110kL, scheme water)		Shire and WC	1 Dandagin Rocks		Conservation Commission of WA	15 [Dudinin	Shire of Kulin
Catchment Tank - Kulin Tank	Tank (110kL, scheme water)		Shire and WC	2 Dudinin Railway		Conservation Commission of WA	16 1	Wogolin	DWER
Catchment Tank - Lange Rd	Tank (110kL, scheme water)		Shire and WC	3 Gnarining Ea	Gnarining East (Ngarming) Shire of Kulin	e of Kulin	17 0	Gnarming	DWER
DiRusso Dam	Dam and tank (275kL)	275 S	Shire of Kulin and Lazio Nominees			WA Wildlife Authority		Kulin East	Conservation Commission of WA
			deed agreement		Shire	Shire of Kulin		Gnarming N/W	Water Corporation
Dudinin Dam	Dam (12,000kL), tank (120kL) and solar nump	12,120 K	Kulin Shire		WAY	WA Wildlife Authority		Jilakin	Shire of Kulin
Henderson Rd	Bore (41L/min) and solar	Bore	Kulin Shire	/ Kulin Kock 8 Jitamina	WAU.	National Parks and Nature Conservation WA Wildlife Authority	1 62	HIAKIN KOCK Shire o Holt Rock Lake Fox DWER	Shire of Kulin
Towns of the second	pump (40kL/day)				Cons	Conservation Commission of WA		Pingaring East	Water Corporation
Holt Rock	Rock catchment and tanks (x2)	0	DWER		DWER	×	24	Dandalin Rocks	DWER
Pingaring CBH Tanks	Tanks (2 x 275kL)		CBH and DWER agreement		DWER		-	Kulin	Shire of Kulin
Pingaring Community Dam	Dam, tank (1 x 245 kL), standpipe and 22, 600 solar pump		Kulin Shire		Natic	National Parks and Nature Conservation		Pingaring Railway	Water Corporation
Pingaring East	Dam		Kulin Shire	13 Walyurin RPF		Water Corporation	27 1	Maublaring	Shire of Kulin
Pingaring Town	Rock catchment and tank (4000kL)		Kulin Shire	14 Kulin	Shire	Shire of Kulin	_		
BULLARING	KON		dinin-Hyden Rd	KARLGARIN					
			-			Hyden-Lake King Rd			
		Ţ			Allen	Allen Rocks		{	
Catchment Tank - Lange Rd	25 Catchment Tank	21 5	A CO			XXX	. 1		
T	14 14 18 18 18 18 18 18 18 18 18 18 18 18 18	Í.	Pingaring	Kulin-Holt Rock Rd	Dit	DiRusso Dam	S - S	22 Holt Rock	Henderson Rd
A summer	5	Catchment - Dandagir	26	-1	111-11	Y			
		27	CBH Tanks Town	Pingaring East				VARLEY] >
15		in lake						/	
22		Grace	+						
HARRISMITH		3 Rd	+						
TINCURRIN 12		_ 1	1						
ł		-		1 4 4 5					
1.	<u>~</u>	t t							
		1	ł	~)**2	
LOCALITY MAP	D	Towns	Strategic Commu	Strategic Community Water Supplies	AA Dams	Watercorp	and	Governi	Government of Western Australia
	M.	Main Roads	A Bore		DWER	high		Departm	ent of Water and Environmental Regulatio
	+ 88	Railway	Small (less t	Small (less than 5,000 kL)	High	h 人 Low			
	- M	Water Corporation Pipes		Medium (5,000 to 10,000 kL) Large (more than 10.000 kL)	None		Clier	Project Information Client: Mell Culhane	
	N	40km Buffer	Watercorp standpipe	tandnine	Shire		Map	Map Author: G. Paul Filename SCWS AA I	Map Author: G. Paul Filename SCWS AA Dame Shire Mans and Kulin)
	5 10 15 0 sh	Shire of Kulin			High	h High	Col	Compilation date: 11/12/2023 Coordinate System: GDA202	Compilation date: 11/12/2023 Compilation date: 11/12/2023 Coordinate System: GDA2020 MGA Zone 50
					- Low		While	e the Department h	While the Department has made reasonable efforts to ensure the accuracy
×	Kilometres				Nono	Nono	of thi	is data, the departn	nent accepts no responsibility for any inaccura

Shire of Kulin map

Figure 1 – Location of Strategic Community Water Supplies (at 11 December 2023)

Strategic community water supply access

Overview of different fill points

Each SCWS will have a fill point to allow access to water supply for agricultural purposes. Each fill point will have a camlock fitting. Standard sizes of camlocks include 50 mm (2 inch) and an 80 mm (3 inch) fitting and in some cases a 100 mm (4 inch) connection is fitted for firefighting purposes. These camlock fittings will be available where there is a tank, standpipe, swipe card system or bore fill point. When accessing water directly from dams without a tank storage, you will need to bring your own pump to extract water.

Swipe card systems

Swipe card systems are metered fill points that require a swipe card or fob from your shire to access the water supply. Contact your local shire office to obtain a swipe card to access these water supplies.

During emergencies such as bushfires the shire can switch the swipe card system to allow access without a swipe card. The emergency access contacts are:

Alan Leeson (CEO)	0497 801 204
Judd Jobson (Executive Manager Works)	0427 801 241
David Tholstrup (Works Supervisor)	0482 801 104

Farm bots

Some tanks are fitted with farm bots, which regularly record the water level and feed this information into a website. You can access this website at <u>app.farmbot.com.au</u> (Login ID: **public.access** Password: **access1**) to view water tank levels for tanks fitted with farm bots.

Below are examples of different fill points you may come across in the shire.



Tank standard camlock fitting



Farm bot positioned on top of tank



Swipe card standpipe system



Tank, electric swipe card and pump for bore


Shire of Kulin SCWS sites

Site name	Location
Dudinin dam	Rabbit Proof Fence Road ~ 500 m from Dudinin – Jitarning Road
Henderson Road	Henderson Rd ~ 1.4 km from Holt Rock Road East
Holt Rock	Holt Rock Road (Intersecting Hyden Lake King Road)
Pingaring East dam	Pingaring Varley Road North (near Karlgarin Road South turn off)
Pingaring community dam	Jones Road On the bend ~ 6.15 km from Kulin-Holt Rock Road
Pingaring CBH tanks	Pingaring CBH – tanks located at northern end of CBH access from Luke Price St and North Lake Grace - Karlgarin Road
DiRusso dam	Allen Rocks Road Dam ~ 240 m north of Kulin-Holt Rock Road, western side Tank located at the northeast corner intersection of Kulin-Holt Rock Road and Allen Rocks Road

Description of community water supplies Dudinin dam



Aerial view of Dudinin dam



Location map



Dudinin dam tank

Dudinin dam site description

Kulin Shire
Strategic community water supply for agricultural purposes, including emergency stock and firefighting water
46697
263
Earth
~1.7ha

Location and coordinates

Location: Rabbit Proof Fence Road ~ 500 m from Dudinin – Jitarning Road

Latitude	-32.867
Longitude	117.8993
Eastings	584136.1062
Northings	6363098.9407

Structure type	Dam, tank and solar pump
Dam capacity	Dam 34,932 kL
Tank storage	120kL
Standpipe Y/N	Yes
Swipe card Y/N	Yes (Please contact Shire for access)
Pump available Y/N	No
Heavy vehicle access	Yes
Turnaround area	Yes
Emergency access contact	Alan Leeson (CEO) 0497 801 204

Description of community water supplies Henderson Road



Aerial view of Henderson Road



Location map



Henderson Road tank 310 kL

Henderson Road description

Vesting	Kulin Shire
Purpose	Strategic community water supply for agricultural purposes, including emergency stock and firefighting water
Associated reserve	29498 (Nearby Reserve)
Catchment type	Bore

Location and coordinates

Location: Henderson Road ~ 1.4 km from Holt Rock Road East

Latitude	-33.63
Longitude	118.72
Eastings	659650.24
Northings	6277903.77

Structure type	Bore & tank
Bore capacity	41 L/min and solar pump 40kL/day
Tank storage	310 kL
Standpipe Y/N	Yes (Please contact Shire for access)
Swipecard Y/N	Yes
Pump available Y/N	No
Heavy vehicle access	Yes
Turnaround area	No (a through road)
Emergency access contact	Alan Leeson (CEO) 0497 801 204

Description of community water supplies Holt Rock



Aerial view of Holt Rock



Location map



Holt Rock tanks (August 2012)



Catchment wall, sump and pipe



Standpipe and swipecard (2022)

Holt Rock description

Vesting	Department of Water and Environmental Regulation
Purpose	Strategic community water supply for agricultural purposes, including emergency stock and firefighting water
Associated reserve	45610
AA dam #	462
Catchment type	Rock catchment with rock walls
Catchment area (ha)	~15 ha

Location and coordinates

Location: Holt Rock Road (Intersecting Hyden Lake King Road)

Latitude	-32.676122
Longitude	119.416321
Eastings	726571.953645
Northings	6382036.970710

Structure type	Rock Catchment and 2 x tanks
Capacity	2,272 kL
Tank storage	2 x 1,136 kL tanks (total 2,272 kL)
Standpipe Y/N	Yes (Please contact Shire for access)
Swipecard Y/N	Yes
Pump Y/N	No
Heavy vehicle access	Yes
Turnaround area	Yes
Emergency access contact	Alan Leeson (CEO) 0497 801 204

Description of community water supplies

Pingaring East dam



Aerial view of Pingaring East



Location map



Pingaring East dam (August 2012)

Pingaring East dam

Vesting	Water Corporation
Purpose	Shire purposes first, Strategic community water supply including agricultural purposes, emergency stock & fire water ONLY in extreme dry periods.
Associated Reserve	22267
AA dam #	553
Catchment type	Earth
Catchment area (ha)	~ 6ha

Location and coordinates

Location: Pingaring Varley Road North near Karlgarin Road South turn off

Latitude	-32.757373
Longitude	118.731379
Eastings	662189.742706
Northings	6374283.997870

Structure type	Dam
Dam capacity	1,680 kL (currently cleaning out and reconstructing May 2022)
Standpipe Y/N	No
Pump available Y/N	No
Heavy vehicle access	No
Turnaround area	Yes
Emergency access contact	Alan Leeson (CEO) 0497 801 204

Description of community water supplies

Pingaring community dam



Aerial view Pingaring community dam





Upgraded catchment (August 2020)



New dam (August 2020)



Tanks and access (August 2020)

Pingaring community dam description

Vesting	Kulin Shire
Purpose	Strategic community water supply for agricultural purposes, including emergency stock and firefighting water
Associated reserve	14838
Catchment type	Earth
Catchment area (ha)	8ha

Location and coordinates

Location: On bend of Jones Road ~ 6.15 km from Kulin-Holt Rock Road

Latitude	-32.731630
Longitude	118.550000
Eastings	645238.721545
Northings	6377401.544660

Structure type	Dam, tank (1 x 245kL), standpipe and solar pump
Dam capacity	22,600 kL
Tank storage	245 kL
Standpipe Y/N	Yes (please contact shire for access)
Pump available Y/N	Yes, solar pump
Heavy vehicle access	Yes
Turnaround area	Yes
Emergency access contact	Alan Leeson (CEO) 0497 801 204

Description of community water supplies Pingaring CBH tanks



Aerial view of Pingaring CBH tanks



Location map



New CBH tanks 2 x 275 kL

Pingaring CBH tanks site description

Vesting	CBH and Department of Water and Environmental Regulation (agreement in place)
Purpose	Strategic community water supply for agricultural purposes, including emergency stock and firefighting water
Associated reserve	CBH land
Catchment type	CBH roof catchment
Catchment area (ha)	~ 0.90ha

Location and coordinates

Location: Pingaring CBH – tanks located at northern end of CBH access from Luke Price Street and North Lake Grace - Karlgarin Road

Latitude	-32.74898
Longitude	118.62506
Eastings	652243.70526
Northings	6375372.47791

Structure type	Tanks
Tank storage	2 x 275 kL
Standpipe Y/N	No
Pump available Y/N	No
Heavy vehicle access	Yes
Turnaround area	Yes
Supply note	Must have approval from CBH area manager prior to access. Ensure site traffic flow is followed at all times.
Emergency access contact	Alan Leeson (CEO) 0497 801 204

Description of community water supplies DiRusso dam



DiRusso aerial



Location map



Desilted dam February 2023



DiRusso dam



Tank and swipecard controller



Tank outlets

Department of Water and Environmental Regulation

DiRusso dam site description

Vesting	Shire of Kulin and Lazio Nominees have a License Agreement and Deed of Covenant
Purpose	Strategic community water supply for agricultural purposes, including emergency stock and firefighting water
Associated reserve	Private Property
Catchment type	Earth
Catchment area (ha)	~6ha

Location and coordinates

Location: Allen Rocks Road, *Dam* ~ 240 m north of Kulin-Holt Rock Road, western side. Tank located at the northeast corner intersection of Kulin-Holt Rock Road and Allen Rocks Road


Latitude	-32.68757
Longitude	119.09541
Eastings	696449.840
Northings	6381407.652

Structure type	Dam and Tank
Tank storage	275 kL
Standpipe Y/N	Yes
Pump available Y/N	No
Heavy vehicle access	Yes
Turnaround area	Yes
Supply note	Tank is accessible at all times. Dam is not accessible unless permission is granted from Shire of Kulin.
Emergency access contact	Alan Leeson (CEO) 0497 801 204

Appendices

Appendix A - Dam surveys

Dudinin dam



Glossary

Camlock	A male hose coupling fixed for connection of a water hose. Camlocks can be attached to fill points such as tanks, or standpipes to allow access to water supply. Camlock sizes vary from site to site and generally include 50 mm (2 inch), 80 mm (3 inch) as a standard. At some sites a 100 mm (4 inch) camlock has been included for firefighting purposes.
Catchment types	Earth – land cleared, cambered, and compacted to provide a catchment area for surface water.
	Bitumen – catchment lined with bitumen to allow capture of surface water.
	Rock catchment – rock that slopes, has containment walls to capture surface water to a storage source (e.g. a tank or a concrete dam).
	Bore – a drilled casing that accesses ground water to provide a water supply.
	CBH – water is captured from CBH grain silo storage facility and stored in a dam or tank.
Fill point	Location where a water supply can be accessed from using camlock fittings either via standpipe, swipe card system, tank or bore.
Farm bot	A device fitted to some tanks to regularly record the water level and feed this information into a website. You can access this website at app.farmbot.com.au (Login ID: public.access Password: access1) to see water tank levels for tanks fitted with farm bots.
Non-potable	Water not suitable for human consumption.
Solar pump	A pump powered through solar that pumps water from one location to another (e.g. from dam to dam or from dam to tank).
Staff gauges	A marker measuring tool positioned at surveyed depths in a dam to indicate water levels.
Standpipe	A pipe overhead, on a plinth or raised off the ground to provide a fill point for water supply.
Swipe card	A metered fill point requiring a card to be swiped to start pumping system. Contact the LGA for further information.
Vesting	Person or governing agency with responsibility for managing land.

Department of Water and Environmental Regulation Prime House 8 Davidson Terrace Joondalup Western Australia 6027

Locked Bag 10, Joondalup DC WA 6919

Phone: 08 6364 7000 Fax: 08 6364 7001 National Relay Service 13 36 77 wa.gov.au/dwer