

Storage Statement

WESTERN AUSTRALIA POLICE FORCE LICENSING SERVICES

LicensingServices@police.wa.gov.au

Telephone: 1300 171 011

Application OR Licence Number

COMPLETE FORM IN CAPITAL LETTERS

Personal Details

Family Name

Date of Birth
DD/MM/YYYY

Given Names

Home Phone Work Mobile Phone Phone Phone

Email

Unit/Lot/Level Street Street Number Name

Street Type Suburb State Postcode

Description of Storage Arrangement

Custom made or Commercially produced

Make / model Number of firearms stored at the location

Type of surfaces attached to e.g. concrete, timber

Description of construction and how the cabinet has been anchored e.g bolted, chemically anchored etc

Cabinet level 1 2 3 OR Grandfathered Storage approved under the Firearms Act 1973

Alarm level 1 2

CCTV

Storage Statement Version 2.3 23/05/2025



Storage Statement

WESTERN AUSTRALIA
POLICE FORCE
LICENSING SERVICES

LicensingServices@police.wa.gov.au

Telephone: 1300 171 011

Alternative Storage Arrangement (Only to be completed if storage is alternative to Schedule 6)

Provide details of your alternative storage

Storage Location

The storage location of my firearm/s is the same as my residential address. (If no, provide further details)

Yes

No

Unit/Lot/Level Street Street Number Name

Street Type Suburb State Postcode

Declaration (Applicant or Licensee to complete)

I, the person described above, sincerely declare that any firearms or ammunition stored at the nominated storage location are done so in accordance with the Firearms Regulations 2024.

Proof of purchase/fitting of an approved lockable cabinet or other storage facility attached.

Photographs of approved lockable cabinet or other storage facility attached.

Applicant/Licensee Signature D D M M Y Y Y

Storage Statement Version 2.3 23/05/2025

INFORMATION SHEET SECURITY AND STORAGE



Security and Storage

Security and storage matrix

Storage matrix – for all licenses, except for Trade Licences (see larger version on last page).

Category	<:	= 5	6 -	15	16	+
Category	Occupied	Unoccupied	Occupied	Unoccupied	Occupied	Unoccupied
A & /	Grandfathering of existing approved storage (existing licences ONLY)	Level 1				
or B	Upgrade to Level 1 upon addition / replacement of firearms. *New applicants	(3mm steel body & 6mm steel door)	Level 1	Level 1 + Alarm	Level 1 + Alarm	Level 1 + Alarm + CCTV
Including any	Grandfathering of existing approved storage (existing licences ONLY)					Lavel O Aleman COTA
C & / or E6	Upgrade to Level 1 upon addition / replacement of firearms. *New applicants	Level 1 + Alarm	Level 1 + Alarm	Level 1 + Alarm + CCTV	Level 1 + Alarm + CCTV	Level 2 + Alarm + CCTV
	Grandfathering of existing approved storage (existing licences ONLY)					
Including any H	Upgrade to Level 2 (6mm steel body & 10mm steel door) upon addition / replacement of firearms. *New applicants	Level 2 + Alarm	Level 2 + Alarm	Level 2 + Alarm + CCTV	Level 2 + Alarm + CCTV	Level 3 (Grade V Safe) + Alarm + CCTV
E	Grandfathering of existing approved storage (existing licences ONLY)	Grandfathering of existing approved storage (existing licences ONLY)	Grandfathering of existing approved storage (existing licences ONLY)	Grandfathering of existing approved storage (existing licences ONLY)	Grandfathering of existing approved storage (existing licences ONLY)	Grandfathering of existing approved storage (existing licences ONL)
(other than E6)	Upgrade to Level 1 upon addition / replacement of firearms. *New applicants	Upgrade to Level 1 upon addition / replacement of firearms. *New applicants	Upgrade to Level 1 upon addition / replacement of firearms. *New applicants	Upgrade to Level 1 upon addition / replacement of firearms. *New applicants	Upgrade to Level 1 upon addition / replacement of firearms. *New applicants	Upgrade to Level 1 upon addition / replacement of firearms *New applicants

^{*}Please refer to Schedule 6 of the *Firearms Regulations 2024* to understand what level of alarm system is required in your circumstances.

How to read the storage matrix:

- 1. How many firearms do you have? Less than 5, 6-15, or 16+
- 2. Is your storage location occupied or unoccupied? E.g., Inside the house you reside in, or in the shed out in the backyard?
- 3. What categories of firearms do you have? Category A, B, C, E &/or H.

Example 1:

A firearm authority holder has four (4) Category A & B firearms at an occupied premises. They can retain their existing approved storage until they either replace a firearm or get an additional firearm.

Example 2:

A firearm authority holder has seven (7) Category A & B firearms and two (2) category H firearms at an unoccupied premises. They require a Level 2 cabinet with alarm and CCTV for all firearms stored at that location.

Notes:

Alarm means Operational Level 1 or 2 alarm system. CCTV means Operational video surveillance system.

Storage level specifications

Level 1

- 3mm steel cabinet 6mm steel door*; or
- Grade V safe as determined by AS/NZS 3809:1998 Safes and Strongrooms, or
- Compliant secure room or strong room.

Level 2

- 6mm steel cabinet 10mm steel door*, or
- Grade V safe as determined by AS/NZS 3809:1998 Safes and Strongrooms, or
- Compliant secure room or strong room.

Level 3

- Grade V safe as determined by AS/NZS 3809:1998 Safes
- and Strongrooms, or
- Compliant secure room or strong room.

Strongroom

• Has a resistance rating of at least XI as determined by AS/NZS 3809:1998 Safes and Strongrooms.

Secure room

As per Schedule 5 – compliant secure room requirements (Firearms Regulations 2024).

^{*}These specifications provide for composite constructed cabinets e.g., steel/concrete/steel.

^{*}These specifications provide for composite constructed cabinets e.g., steel/concrete/steel.

Shared compliant storage (s.311(3) Firearms Act 2024, r.284 Firearms Regulations 2024)

Firearm authority holders may store their firearms in the same cabinet at an approved storage location if:

- The firearm is rendered temporarily inoperable, including, for example, by:
 - o Using a trigger or action lock; or
 - o Removing a bolt, firing pin or major firearm part from the firearm.

For example, a family could store all their firearms in one large cabinet so long as they are made temporarily inoperable so other family members with access to the firearms cabinet cannot use the firearm.

Operational alarm systems (r.267 Firearms Regulations 2024)

Operational level 1 alarm system – must meet or exceed the following when armed:

- The system has motion sensors that can detect movement in the storage place;
- The motion sensors display lights are not illuminated when movement is detected by the sensor;
- The system sounds an alarm when motion is detected by the motion sensors;
- At least one (1) person who stores firearms at the storage place is notified that motion is detected by the motion sensors;
- The system otherwise substantially complies with the recommendations, requirements or other provisions that apply to alarm systems under AS/NZA 2201.1:2007.

Operational alarm systems (r.267 Firearms Regulations 2024)

Operational level 2 alarm system – must meet **or** exceed Operational level 1 alarm when armed, as well as:

- The system has seismic sensors to detect whether a firearm repository within the storage place is the subject of a physical attack, or an attempt to move the firearm repository from the storage place;
- The system sounds an alarm when the seismic sensors detect a physical attack on a firearm repository or an attempt to move the firearm repository;
- At least one (1) person who stores firearms at the storage place is notified the seismic sensors detect a physical attack on a firearm repository or an attempt to move the firearm repository;
- The system has a duress alarm allowing a person to activate the system or an alarm by, for example, pressing a button;
- The control panel for the system is in a part of the storage place that is not accessible to the public.

Both Operational Level 1 and Operational Level 2 alarm systems must operate in the entirety of the storage place; and the areas outside the storage place from which the place can be accessed.

Note:

Both systems require a schedule of maintenance. The regulator may request a record showing work carried out maintaining the compliant alarm system within the previous five (5) years from the date of notice.

General Storer Operational Alarm Requirements

Alarm matrix – Individual Licence, Primary Producer Licence, Collector Licence, Club Licence, Range Licence Holders.

Category	< :	= 5	6-	15	16	5+
	Occupied	Unoccupied	Occupied	Unoccupied	Occupied	Unoccupied
A &/or B				Operational level 1 or 2 alarm	Operational level 1 or 2 alarm	Operational level 1 or 2 alarm
Including any C &/ or E6		Operational level 1 or 2 alarm				
Including any H		Operational level 1 or 2 alarm				
E (other than E6)						

Alarm matrix – Business and Government Entity Licence Holders.

Category	< =	= 5	6-	15	16	6+
	Occupied	Unoccupied	Occupied	Unoccupied	Occupied	Unoccupied
A &/or B				Operational level 1 or 2 alarm	Operational level 1 or 2 alarm	Operational level 1 or 2 alarm
Including any C &/ or E6		Operational level 1 or 2 alarm				
Including any H		Operational level 2 alarm				
E (other than E6)						

Both Operational Level 1 and Operational Level 2 alarm systems are compliant. Where the matrices indicate a choice, Operational Level 1 is mandatory and Operational Level 2 is voluntary. Where it stipulates Operational Level 2 alarm only, this greater level is mandatory.

How to read the alarm matrices:

- 1. How many firearms do you have? Less than 5, 6-15, or 16+
- 2. Is your storage location occupied or unoccupied? E.g., inside the house you reside in, or the shed out the backyard?
- 3. What categories of firearms do you have? Category A, B, C, E &/or H.

Operational video surveillance systems (r.268 Firearms Regulations 2024)

Must meet or exceed the following:

- The video cameras included in the surveillance system have a frame rate of 12.5 frames per second:
- The surveillance system displays the date and time the video is taken on the video, but not so that the date and time cover a firearm repository or the entrance points to the storage place;
- · The surveillance system is connected to an uninterruptible power supply;
- If the surveillance system ceases to take or record video, at least one (1) person who stores firearms at the place where the system takes video is notified;
- Access to the surveillance system, and the recorded video, is protected by a password;
- The surveillance system is accessible remotely by at least one (1) person who stores firearms at the place when the system takes video;
- The surveillance system keeps a record of each time the system is accessed;
- The surveillance system retains the recorded video for at least the period of 30 days beginning on the day on which the video is recorded;
- The surveillance system is able to export uncompressed images from video, or export the video in its native formation, while the system still takes and records video;
- The surveillance system is able to take video that captures a person's face consistently with the recommendations of AS 4806.2:2006 in relation to facial recognition;
- The surveillance system otherwise substantially complies with the recommendations, requirements or other provisions that apply to video surveillance systems under AS 4806:2006.
- An operational video surveillance system must record video in the entirety of the storage place, the areas outside the storage place from which the place can be accessed and includes multiple video cameras so that more than one (1) camera records video in the same area.

Security and storage matrix

1.) How many firearms do you have?

2.) Is your storage location occupied or unoccupied?

Grandfathering of existing approved storage (existing licences ONLY) Upgrade to Level 1 upon addition / replacement of firearms. *New applicants Grandfathering of existing approved storage (existing licences ONLY) Upgrade to Level 1 upon addition / replacement of firearms. *New applicants Grandfathering of existing approved storage (existing licences ONLY) Upgrade to Level 2 (6mm steel body & 10mm steel door) upon addition / replacement of firearms. *New applicants Grandfathering of existing approved storage (existing licences ONLY) Upgrade to Level 2 (6mm steel body & 10mm steel door) upon addition / replacement of firearms. *New applicants Grandfathering of existing approved storage	Unoccupied Level 1 (3mm steel body & 6mm steel door) Germality Candfathering of existing approved storage approved storage (existing licences ONLY)	Level 1 Level 1 + Alarm Level 2 + Alarm Candfathering of existing approved storage (existing licences ONLY)	Level 1 + Alarm Level 2 + Alarm + CCTV Crandfathering of existing approved storage (existing licences ONLY)	Docupied Level 1 + Alarm + CCTV Level 2 + Alarm + CCTV Grandfathering of existing approved storage (existing licences ONLY)	Level 1 + Alarm + CCTV Level 2 + Alarm + CCTV Level 3 (Grade V Safe) + Alarm + CCTV Grandfathering of existing approved storage approved storage (existing licences ONLY)
Upgrade to Level 1 upon addition / replacement of firearms. *New applicants	Upgrade to Level 1 upon addition / replacement of firearms. *New applicants	Upgrade to Level 1 upon addition / replacement of firearms. *New applicants	Upgrade to Level 1 upon addition / replacement of firearms. *New applicants	Upgrade to Level 1 upon addition / replacement of firearms.	Upgrade to Level 1 upon addition / replacement of firearms. *New applicants

3.) What categories of firearms do you have?