BUTLER DISTRICT CENTRE ACTIVITY CENTRE STRUCTURE PLAN NO. 87

Adopted: 7 February 2013 (consolidated to include Amendment No. 4)

PART 1 IMPLEMENTATION



NOVEMBER 2018



BUTLER DISTRICT CENTRE

ACTIVITY CENTRE STRUCTURE PLAN NO.87

(Consolidated to include Amendment No. 4)

PART 1 IMPLEMENTATION

Adopted: 7 February 2013

Prepared by



Town Planning + Design PO Box 796 Subiaco WA 6904 Tel: 9382 1233 Fax: 9382 1127

Project No. 885DCRep805D

November 2018

RECORD OF AMENDMENTS MADE TO THE AGREED BUTLER DISTRICT CENTRE

ACTIVITY CENTRE STRUCTURE PLAN NO.87

Amendment No.	Description of Amendment	Finally Endorsed Council	Finally Endorsed WAPC
1	To incorporate provisions for the eastern portion of the centre from just east of the rail line to the Mitchell Freeway Reserve	30 April 2013	4 June 2014
2	Amending the Agreed Structure Plan map of the Part 1 Implementation to incorporate a portion of Lot 9330 as 'Precinct F-a', with a density code of R160	2 June 2015	10 August 2015
3	Amending Table 1, Clause 6.1 and Table 7, Clause 4.1.2 of Part 1 of the Agreed Structure Plan to increase the shop-retail floorspace limit for Precinct F		19 June 2018
4	Amending the Agreed Structure Plan map of the Part 1 Statutory Section to reconfigure a portion of Lot 9332 as 'Precinct F-a', with a density code of R160.		26 September 2018



TABLE OF CONTENTS

PART 1 IMPLEMENTATION

1.0 APPLICATION

2.0 SUBDIVISION AND DEVELOPMENT

Table 1 - General Planning Requirements for Structure Plan Area

Table 2 – Planning Requirements for Precinct A

Table 3 – Planning Requirements for Precinct B

Table 4 – Planning Requirements for Precinct C

Table 5 – Planning Requirements for Precinct D

Table 6 – Planning Requirements for Precinct E

Table 7 – Planning Requirements for Precinct F

1.0 APPLICATION

- 1.1 This Structure Plan applies to the Butler District Centre Structure Plan, being Part of Lot 8 and Part of Lot 9314 Marmion Avenue, consisting of all land contained within the inner edge of the line denoting the Structure Plan boundary on the Structure Plan Map (Plan 1).
- 1.2 This Structure Plan comprises the:
 - a) Implementation (Part 1);
 - b) Explanatory Section (Part 2); and
 - c) Technical Appendices (Part 3).
- 1.3 Unless otherwise specified in this Part, the words and expressions used in this Structure Plan shall have the respective meanings given to them in the City of Wanneroo District Planning Scheme No. 2 (the Scheme) and including any amendments gazetted thereto.
- 1.4 In accordance with clause 9.8.1 of the Scheme, this Structure Plan shall come into operation on the later date when it is certified by the Western Australian Planning Commission (WAPC) pursuant to clause 9.6.3 of the Scheme or adopted, signed and sealed by the Council.

2.0 SUBDIVISION AND DEVELOPMENT

Tables 1 to 6 prescribe the provisions, standards and requirements for subdivision and development in the corresponding Precincts designated on Plan 1.

TABLE 1 – GENERAL PLANNING REQUIREMENTS FOR STRUCTURE PLAN AREA

The provisions of Table 1 apply to the Structure Plan area as shown on Plan 1.

1.0 General Centre	The following sets out the objectives for the Structure Plan area.	
Objectives		
	The Butler District Centre will be an attractive, diverse, high intensity mixed use	
	place for work, recreation and shopping functions, that the community want	
	to visit, stay and enjoy regularly.	
	Structural Elements and Networks	
	1.1 Provide a direct and highly connected street and path network that	
	encourages pedestrian and cyclist connectivity to, and through, the	
	centre through regular road crossing points and managed crossover	
	locations to Butler Boulevard and other public spaces.	
	1.2 Encourage the integration of land uses with major pedestrian routes to	
	the rail station.	
	1.3 Encourage road design standards that deliver Main Street principles and	
	that manage traffic behavior and speed in areas of high pedestrian	
	movement to encourage pedestrian activity.	
	Land Use	
	1.4 Enable future development to gain access to vehicular cross over	
	locations as shown on Plan 1 and/or the ability to access shared car	
	parking areas.	
	1.5 Facilitate high intensity land uses that increase public transport use,	
	enable shared trips, and stimulate activity in close proximity to the rail	
	station.	
	1.6 Allow for a diversity of housing types and tenure within the centre, with a	
	managed interface to non-residential land uses.	
	1.7 Recognise that large floor plate land uses will be attracted to and most	
	suitably located adjoining the high traffic environment of Marmion	
	Avenue.	

Built Form
1.8 Encourage building designs to address street frontages and public
spaces, maximising opportunities for passive surveillance through the
placement of entrances and a high degree of street front glazing.
1.9 Facilitate appropriate built form controls that enable continuity of
frontage to Butler Boulevard and the Main Street.
1.10 Provide opportunities to integrate signage with buildings at an
appropriate scale and character.
Public Realm (Streetscape & Landscape)
1.11 Encourage local landmarks, artwork, landscape and street trees to improve legibility.
1.12 Recognise Crime Prevention Through Environmental Design principles as a tool to create a safe and enjoyable pedestrian experience.
1.13 Provide parking areas in locations that allows co-ordinated access,
reciprocal use of bays and strong pedestrian connectivity, whilst
minimising their visual impact on the streetscape.
Sustainability
1.14 Consider solar passive design principles in the detailed design of buildings.
1.15 Encourage water efficiency outside of buildings through the use of
irrigation standards, soil amendment and drought tolerant plants that are
low maintenance, provide summer shade, and sun penetration in winter.
1.16 Create a structure and land use control regime that will facilitate land
use change over time, in a staged manner.
1.17 Recognise the optimal development potential and intensity of activity
associated with the station and allow redevelopment of these areas to
reflect transit oriented development principles in the medium to longer
term.
1.18 Encourage integrating of land and water management.
1.19 Encourage water efficiency that is consistent with future resource
strategies.



20	Requirement	2.1 Prior to the determination of an application to commence developmen			
2.0	-	within Precincts A – C and F, identified on Plan 1,a Local Development			
	for Local				
	Development	Plan (LDP) is to be approved by the City pursuant to clause 9.14 of the			
	Plans	Scheme, unless the City is satisfied that the development is of c			
		temporary nature and scale that would not prejudice the:			
		i. design of the LDP			
		ii. form and development of the area surrounding the proposal; and			
		iii. timely provision of infrastructure and services to the area, including			
		the provision of the station, park and ride facilities, public utilitie			
		and roads.			
		2.2 LDPs for Precincts D and E shall be prepared for non-residential uses ir			
		accordance with the provisions of Tables 5 and 6 respectively and sha			
		address the requirements of clause 3.0, Table 1.			
		2.3 A LDP can be prepared and approved over all or part of a precinct(s			
		overlapping precinct boundaries, where the City considers that the LDF			
		area is of sufficient extent that it adequately addresses the site's context			
		integration and co-ordination with surrounding built form, as well as the			
		general (Table 1) and precinct (relevant Table 2 – 7) planning			
		requirements.			
		.4 The City may deem a development application to constitute a LDP, for			
		the purposes of clause 2.1 above, where the development application			
		addresses the site's context, integration and co-ordination with			
		surrounding built form, as well as the general (Table 1) and precinct			
		specific (relevant Table 2 – 7) planning requirements. .5 A development application can also be prepared over all or part of a			
30	Information to	precinct and overlapping precinct boundaries.			
5.0	be provided in	A LDP shall address the general planning requirements of the Structure Plan			
	all Local	area under Table 1, the precinct specific planning requirements under the			
	Development	relevant Table 2 – 7, as well as the requirements of clause 9.14.2 of the			
	Plans	Scheme. The LDPs shall specify more detailed site specific development			
	FIGHS	standards that meet the general and precinct specific objectives and are to			
		include the following information:			
		3.1 Setbacks to lot boundaries.			
		3.2 Notional non-residential floor space areas and distribution of land uses on			
		the lot (recognising that development applications will follow the LDPs			
		that specifically designate land use allocation).			

	3.3 General car parking location and provision as well as areas required for
	easements and reciprocal access, with the final location and
	establishment of easements as a condition of development approval.
	3.4 Location of on and off street car parking, including supporting
	information to support any variation to car parking standards.
	3.5 Road network, vehicular access locations, paths and cycleways, to
	reflect the Traffic Report and connecting with the road network shown
	on Plan 1.
	3.6 Connections to, and locations of, pedestrian pathways and crossing
	points to public roads.
	3.7 Indicative site levels.
	3.8 Locations of public and private open space.
	3.9 Indicative landscape treatments within the public realm.
	3.10Details of how the interface between precincts / land uses will be
	treated.
	3.11 Treatment of landmark sites.
	3.12 Where the proposed development shown on the LDP comprises an initial
	stage of development the LDP will show indicatively how future stages of
	development can be accommodated consistent with the general and
	precinct specific objectives and development standards.
	3.13 Indicative and preferred locations of street front glazing, entrances and
	awnings.
	3.14 Indicative location of services, loading / unloading areas, storage,
	drainage and rubbish collection areas.
	3.15 Indicative locations of signage and fencing.
	3.16 Notional location and integration with bus stops and taxi ranks.
	3.17 Building design features that meet the general and precinct specific
	planning requirements.
	3.18 Any such other information considered relevant by Council to address
	the requirements of the Structure Plan.




			Notwith	standina plannina	approval may	be required for	any building or
		Notwithstanding planning approval may be required for any building or other development work that is proposed, pursuant to clause 6.1 of the					
		The	Scheme. The proponent is required to advise the City of a change of use that is				
				·			
			mitted without a requirement for planning approval, in accordance with				
		cla		oove, for informatio			
6.0	Permitted Retail	6.1	The per	mitted shop-retail f	loorspace with	in Plan 1 is a to	otal of 22,500 m ²
	Floorspace		NLA for	Precincts A to E (ind	clusive) and 3,5	00m ² NLA for Pre	ecinct F.
	Area	6.2	Prior to a	consideration of pro	oposals for maj	or developmen	t which exceeds
			the sho	p-retail floorspace	area identified	d in clause 6.1,	the responsible
			authorit	y will require the pr	eparation of a	Retail Sustainat	oility Assessment,
			in acco	rdance with State	Planning Policy	v 4.2 – Activity (Centres for Perth
			and Pe	el. Where the City	and the WAP	C determine th	at the proposal
			substan	tially changes the	e intent or fo	rm of the Stru	ucture Plan, an
			amendr	ment to the Structu	ure Plan will be	required prior	to consideration
			of the p	roposal.			
7.0	Residential	7.1	The foll	owing Structure P	lan provisions	apply to single	e and grouped
	Development			0			0
	in areas coded		dwellings within Precinct B and Precinct D. These provisions take precedence over, and operate as variations to the relevant R-Code				
	R60		standards and thereby constitute Acceptable Development:				
		• •					
		Sett	<u>packs</u>				
			7.1.1	The requirements			-
				(Primary, Secondo		Other/Rear) exc	ept as otherwise
				provided in the ta			
				SETBACKS TO PRI	1		
				Dwelling	Min. (m) 2.0	Max. (m) 4.0	
				Verandah	1.5	3.0	
				Note: The front	setback averag	ging provisions	
			of the R-Codes do not apply.				
		Bou	undary Walls				
			7.1.2 The front setback for the purpose of calculating the length of a				
			boundary wall is the front of the building on that boundary.				
			7.1.3 The following boundary wall variations only apply to				
			development on lots less than $540m^2$ in area. For all other lots				
			the standard requirements of the R-Codes for boundary walls				
			apply.				
				uppiy.			




	7.1.3.1	Height and Length		
		BOUNDARY WALLS		
		Description	Max. height	Max. length
		Single Storey	3.5m	No limit
		Two Storey & Above	6.5m	12m
<u>Site Co</u>		Except for corner le boundaries of c Development. m site cover is 75%.		
<u>Plot Ro</u> 7		ratio requirements of th	e R-Codes do 1	not apply.
Outdo	oor Living			
7	and mir	door living area with a nimum dimension of 4m ninated secondary stree	, which may ir	nclude land within
7.	.1.7 No mor	No more than one third of the outdoor living area may be covered by the main roof of the dwelling.		
7.		r living areas shall be most side boundary to n		
<u>Car Po</u>	arking			
7.	.1.8.1 Of the covered	two bays required per d.	dwelling, one	car bay shall be
7.	laneway	y accommodation loo y lots with a plot ratio are vire an additional car po	ea of not great	er than 40m² doe:
















7.1.17	For the purpose of this clause, a lot is not considered to be able
	to 'capably and practically' accommodate more than one
	dwelling where any one or more of the following circumstances
	apply:
	The lot is irregular in shape;
	• The lot has been sized to address a particular amenity or
	design constraint (ie deeper lots abutting freeway /
	railway);
	• The lot is 12.5m wide or less as measured at the primary
	street frontage and does not have laneway access for
	vehicles;
	Presence of side and/or rear retaining walls restrict practical
	vehicle access for multiple garages;
	 City engineering and site distance safety requirements on
	corners restrict vehicle access options;
71.10	Other circumstances as determined by the City.
7.1.18	To encourage a diversity of accommodation and mixed use,
	thee, the City may, at its discretion, allow fewer than the
	maximum number of dwellings on a lot than stipulated by a LDP,
	in the following circumstances:
	• The dwelling includes a self contained ancillary
	accommodation unit which meets the definition of Ancillary
	Accommodation under Appendix 1 of the R-Codes;
	• The dwelling is designed to allow for conversion of at least
	20m ² of the ground floor to mixed use/office;
	• The LDP and/or design of the welling demonstrates how a
	future additional dwelling(s), to the maximum possible
	under the coding, can be accommodated without
	demotion of the original dwelling.
7.1.19	In determining the maximum number of dwellings achievable
	Council will reference Table 1 of the R-Codes and apply the
	average Minimum Site area standard for the R60 Code being
	180m².
7120	Design Element 9 (Climate) of the R-Codes does not apply.
/.1.20	



8.0 Staging	8.1	Where an application is made to construct all or any part of the shop-
		retail floorspace in Precinct A, the entire main street vehicular
		connection and construction of the principal pedestrian connection to
		the Butler Station, as identified on Plan 1, must be provided.
	8.2	The following elements shall be provided within the Centre Core (as
		identified on Plan 1) prior to, or as part of, any application for approval to
		commence development that would result in excess of 7,500m ² of shop-
		retail NLA within Precinct A:
		8.2.1 Buildings fronting the principal pedestrian connection to the Butler
		Station;
		8.2.2 The town square;
		8.2.3 At least 1,000 m ² of non-retail commercial ; and
		8.2.4 At least 10 residential dwellings.
	8.3	The following elements shall be provided within the Centre Core (as
		identified on Plan 1) prior to, or as part of, any application for approval to
		commence development that would result in excess of 15,000m ² of shop-
		retail NLA within Precinct A:
		8.3.1 At least 2,000 m ² of non-retail commercial; and
		8.3.2 At least 30 residential dwellings.

TABLE 2 – PLANNING REQUIREMENTS FOR PRECINCT A

In addition to the provisions of Table 1, the provisions of Table 2 apply to the area shown as Precinct A on Plan 1. Notwithstanding the provisions of Table 2, development requirements not specified within Table 2 are to be consistent with the provisions of the Commercial zone under the Scheme.

1.0	Precinct	Precinct A is the Main Street centre core, maximising activity and		
	Specific	intensity adjoining the Butler rail station.		
	Objectives			
		Create a largely open air Main Street retail core with high amenity, a		
		strong sense of place and a rich streetscape.		
		1.1 Encourage a mix of intensive uses and treatments compatible		
		with the rail station including:		
		1.1.1 uses that generate activity outside core business hours;		
		1.1.2 town squares and other open spaces as community		
		meeting spaces;		
		1.1.3 retail uses such as specialty stores and supermarket uses;		
		1.1.4 enable the opportunity for temporary activities in the street,		
		such as alfresco dining and external displays.		
		1.2 Facilitate strong and direct pedestrian connectivity between the		
		station and the Main Street, as well as ease of pedestrian		
		movement across the Main Street.		
		1.3 Allow on street parking where possible and encourage on-site		
		parking to be located behind buildings adjoining the Main Street		
		and Exmouth Drive.		
		1.4 Allow for a combination of public and private realm spaces for		
		community meeting, pedestrian activity and traffic flows.		
2.0	Information to	In addition to the information requirements of Table 1, the following		
	be provided in	additional information is required to be submitted on a LDP or		
	Precinct A Local	development application in Precinct A:		
1	Development	2.1 Details as to the proposed development of the Town		
1	Plans	Square/Open Space, including soft and hard landscape		
		treatments.		
		2.2 Pedestrian connections to the rail station.		

3.0 Core Precinct	In addition to the requirements of Table 1, LDPs and development
Specific	applications in Precinct A are to be consistent with the following
Development	development standards, to the satisfaction of council:
Standards	
	<u>Setbacks</u>
	3.1 A nil setback applies to the ground floor front façade of buildings
	adjoining the Main Street and Exmouth Drive, except where
	necessary to provide a forecourt, building articulation, alfresco
	dining, or other feature that adds amenity and interest to the
	streetscape.
	3.2 Buildings adjoining the Main Street are to have a continuous
	frontage, except where required for vehicular access, servicing or
	to provide articulation and interest to the streetscape.
	Building Design
	3.3 A covered, and continuous, pedestrian walkway is to be provided
	to the front façade of buildings adjoining the Main Street,
	Exmouth Drive and principal pedestrian connections to the rail
	station. The awning is to be designed at a pedestrian scale and
	provide an acceptable degree of shade and shelter. The awning
	shall be a minimum height of 3.0m and maximum of 4.5 m, and a
	minimum of 2.5m deep.
	3.4 The principal pedestrian access to tenancies adjoining the Main
	Street is to be from the Main Street.
	3.5 To avoid the Main Street being dominated by a single use or
	tenancy frontage the gross retail floorspace of all tenancies
	directly adjoining the Main Street are to be less than 1000m ² .
	Tenancies greater than 1000m ² are permitted where the tenancy
	is sleeved between and behind smaller adjoining tenancies with
	only the entry of not more than 10m adjoining the Main Street.
	3.6 To ensure unobstructed views to the street, ground floor
	elevations to the Main Street are to be glazed to a minimum of
	70% of the building frontage with a visually permeable material.
	This is measured as a proportion of the total building ground floor
	front elevation. All glazing shall meet energy efficiency
	requirements and BCA standards.

	3.7 No maximum building height applies
	3.8 Town squares / open space and principal pedestrian
	connections, are to be provided in the locations shown on the
	Structure Plan.
	Carparking & Vehicular Access
	3.9 On site car parking is not to be located between the front
	building setback line and the Main Street. Large areas of car
	parking are to be sleeved behind buildings fronting the Main
	Street and Exmouth Drive and the portion of Butler Boulevard
	within Precinct A.
	3.10 Variations to the car parking standards specified under the
	Scheme for non-residential development to a minimum rate of 1
	bay per 25m ² NLA will be considered as part of the assessment of
	the LDP, or development application, where:
	3.10.1 development has an active presentation to the public
	realm;
	3.10.2 extensive areas of permanent car parking are located
	largely at the rear of buildings;
	3.10.3 on street car parking has been provided where possible;
	and
	3.10.4 car parking access and management allows for
	reciprocal use.
	3.11 On street car parking is to be provided where possible and can
	be included in calculating parking provision where located
	immediately adjoining the site.
	3.12 The carparking variations specified in Cl 3.10 above do not apply
	to cinema / cinema complex and recreation centre, where
	carparking provision will be determined in accordance with the
	provisions of the Scheme.
4.0 Land Use	4.1 Land use permissibility within Precinct A shall be in accordance
Permissibility	with the Precinct A Land Use Permissibility Table below and the
	following provisions:
	4.1.1 The symbols used in the table have the same meaning as
	clause 3.2.2 of the Scheme.
	4.1.2 Notwithstanding the provisions of the Precinct A Land Use



	Permissibility Table, or	nly non-residential development is
	permitted on the grour	nd floor fronting the Main Street.
PREC		
· P' U		'D' Uses
		D Uses
Notes:	Facility/Parlour Facility/Parlour Art Gallery Auction Room Bakery Bank Beauty Parlour Cinema Cinema Complex Civic Building Costume Hire Department Store Display Home Centre Home Business – Cat 1 Home Business – Cat 2, Home Business – Cat 3 Hotel Laundromat Liquor Store Medical Centre Multiple Dwelling Office Pharmacy Public Exhibition Centre Reception Centre Restaurant Shop Supermarket Take Away Food Outlet Theatre Video Hire	 Car Park Child Care Centre Club (non-residential) Consulting Room Corner Store Dry Cleaning Premises Education Establishment Hall Market (retail) Mast or Antenna Motel Night Club Place of Assembly Place of Worship Restricted Premises Small Bar² Stall-General Tavern Telecommunications Infrastructure Trade Display
compl 2. Smc Act ar the sa the lice	ies with cl. 5.0 of Table 1. Ill Bar means a premises licensec nd used to sell liquor for consump le of packaged liquor; and with ensed premises limited to a maxim	as a small bar under the Liquor Contro ption on the premises, but not including the number of persons who may be o
Schem listed i Sectio	ne in the Commercial zone, are n the Scheme in the Commercia	e 'x' uses within the Precinct. Land use al zone as 'P', 'D' or 'A', but not listed i e Scheme, are to be considered i

CLE Town Planning + Design

TABLE 3 – PLANNING REQUIREMENTS FOR PRECINCT B

In addition to the provisions of Table 1, the provisions of Table 3 apply to the area shown as Precinct B on Plan 1. Notwithstanding the provisions of Table 3, development requirements not specified within Table 3 are to be consistent with the provisions of the Mixed Use zone under the Scheme.

1.0 Precinct Specific	Precinct B may include a mix of office, commercial, consultancy, retail
Objectives	and residential type uses that are centred on Butler Boulevard. Precinct
	B is based on Main Street principles, while also recognising Butler
	Boulevard's primary transport function connecting Marmion Avenue
	and the rail station.
	1.1 Recognise a logical change in land use and building character
	between bulky uses adjoining Marmion Avenue and smaller
	scaled retail uses adjoining the rail station.
	1.2 Encourage a mix of intensive uses, compatible with the rail station
	and the residential frame, including uses that generate activity
	outside core business hours. Enable the opportunity for temporary
	activities in the street, such as alfresco dining and external
	displays.
	1.3 Encourage richness in the streetscape, including articulation of
	buildings, windows and openings to create visual interest at street
	level.
	1.4 Encourage on site car parking to be located behind buildings.
	1.5 Acknowledge the potential for land use change, allowing for
	residential buildings adjoining Butler Boulevard to accommodate
	future non-residential uses.
2.0 Information to	In addition to the information requirements of Table 1, the following
be provided in	additional information is required to be submitted on a LDP or
Precinct B Local	development application in Precinct B:
Development	2.1 Details as to the proposed development of public spaces,
Plans	including soft and hard landscape treatments.
	2.2 Footpaths and pedestrian connections to the rail station and
	Precinct A.

3.0 Core

Specific

Standards

Development

Precinct

CLE Town Planning + Des	
In addition to the requirements of Table 1, LDPs and development	
applications in Precinct B are to be consistent with the following	
development standards, to the satisfaction of council:	
<u>Setbacks</u>	
3.1 A minimum nil setback and a maximum setback of 3m applies to	
buildings fronting Butler Boulevard / Camborne Parkway. This	
setback may be varied to allow for building articulation or	

to

the

Building Design

streetscape.

3.2 A covered pedestrian walkway is to be provided to the front façade of buildings adjoining Butler Boulevard / Camborne Parkway. The awning shall be designed at a pedestrian scale and provide an acceptable degree of shade and shelter. The awning shall be a minimum height of 3.0m and a maximum of 4.5m and a minimum of 2.5m deep.

architectural features that contribute positively

- 3.3 The principal pedestrian access to tenancies adjoining Butler Boulevard / Camborne Parkway is to be from Butler Boulevard / Camborne Parkway.
- 3.4 To ensure unobstructed views to the street, ground floor elevations for non-residential uses to Butler Boulevard / Camborne Parkway are to be glazed to a minimum of 60% of the building frontage with a visually permeable material. This is measured as a proportion of the total building ground floor front elevation. All glazing shall meet energy efficiency requirements and BCA standards.

3.5 No maximum building height applies in the area coded Residential R160.

- 3.6 All ground floor dwellings adjoining Butler Boulevard / Camborne Parkway are to be constructed to the following minimum standards:
 - 3.6.1 Potential for a separate building entrance (exclusive to dwelling) off street;
 - 3.6.2 Minimum floor to floor height of 3.2 m for the ground for all ground floor dwellings; and

	3.6.3 Minimal change in level between ground floor and the
	adjacent street, or demonstration of how universal
	access can be achieved.
	Carparking & Vehicular Access
	3.7 Variations to the car parking standards specified under the
	Scheme for non-residential development to a minimum rate of 1
	bay per 25m ² NLA will be considered as part of the assessment of
	the LDP or development application where:
	3.7.1 development has an active presentation to the public realm;
	3.7.2 on street car parking has been provided where possible; and
	3.7.3 car parking access and management allows for
	reciprocal use.
	3.8 On site car parking is not to be located between the building and
	Butler Boulevard / Camborne Parkway. Large areas of parking are
	to be predominately sleeved behind buildings fronting Butler
	Boulevard / Camborne Parkway.
	3.9 On street car parking is to be provided where possible and can
	be included in calculating parking provision where immediately
	adjoining the site.
	3.10 The carparking variations specified in clause 3.8 above do not
	apply to cinema / cinema complex and recreation centre, where
	carparking provision will be determined in accordance with the
	provisions of the Scheme.
	3.11 Vehicle access to Butler Boulevard / Camborne Parkway is to be
	as shown on the Plan 1.
4.0 Land Use	4.1 Land use permissibility within Precinct B shall be in accordance
Permissibility	with the Precinct B Land Use Permissibility Table below and the
	following provisions.
	4.1.1 The symbols used in the table have the same meaning as
	clause 3.2.2 of the Scheme.
	4.1.2 Notwithstanding the provisions of Precinct B land use
	permissibility table, 'showroom' is only a permitted use
	where the gross retail floorspace does not exceed 400 m ² .

 'P' Uses1 Amusement Facility / Parlour Art Gallery Auction room Bakery Bank Beauty Parlour Cinema Cinema Complex Consulting Room Convenience Store Corner Store Costume Hire Display Home Centre Drive Through Food Outlet Grouped Dwelling Hairdresser 	 <u>'D' Uses</u> Aged or Dependen Persons' Dwelling Bed & Breakfast Car Park Civic Building Child Care Centre Club (non-residential) Department Store Dry Cleaning Premises Education Establishment Funeral Parlour Hall
Parlour Art Gallery Auction room Bakery Bank Beauty Parlour Cinema Cinema Complex Consulting Room Convenience Store Corner Store Costume Hire Display Home Centre Drive Through Food Outlet Grouped Dwelling	Persons' Dwelling Bed & Breakfast Car Park Civic Building Child Care Centre Club (non-residential) Department Store Dry Cleaning Premises Education Establishment Funeral Parlour
 Auction room Bakery Bank Beauty Parlour Cinema Cinema Complex Consulting Room Convenience Store Corner Store Costume Hire Display Home Centre Drive Through Food Outlet Grouped Dwelling 	Persons' Dwelling Bed & Breakfast Car Park Civic Building Child Care Centre Club (non-residential) Department Store Dry Cleaning Premises Education Establishment Funeral Parlour
 Auction room Bakery Bank Beauty Parlour Cinema Cinema Complex Consulting Room Convenience Store Corner Store Costume Hire Display Home Centre Drive Through Food Outlet Grouped Dwelling 	 Bed & Breakfast Car Park Civic Building Child Care Centre Club (non-residential) Department Store Dry Cleaning Premises Education Establishment Funeral Parlour
 Bakery Bank Beauty Parlour Cinema Cinema Complex Consulting Room Convenience Store Corner Store Costume Hire Display Home Centre Drive Through Food Outlet Grouped Dwelling 	 Car Park Civic Building Child Care Centre Club (non-residential) Department Store Dry Cleaning Premises Education Establishment Funeral Parlour
 Bank Beauty Parlour Cinema Cinema Complex Consulting Room Convenience Store Corner Store Costume Hire Display Home Centre Drive Through Food Outlet Grouped Dwelling 	 Civic Building Child Care Centre Club (non-residential) Department Store Dry Cleaning Premises Education Establishment Funeral Parlour
 Beauty Parlour Cinema Cinema Complex Consulting Room Convenience Store Corner Store Costume Hire Display Home Centre Drive Through Food Outlet Grouped Dwelling 	 Child Care Centre Club (non-residential) Department Store Dry Cleaning Premises Education Establishment Funeral Parlour
 Cinema Cinema Complex Consulting Room Convenience Store Corner Store Costume Hire Display Home Centre Drive Through Food Outlet Grouped Dwelling 	 Club (non-residential) Department Store Dry Cleaning Premises Education Establishment Funeral Parlour
 Cinema Complex Consulting Room Convenience Store Corner Store Costume Hire Display Home Centre Drive Through Food Outlet Grouped Dwelling 	 Department Store Dry Cleaning Premises Education Establishment Funeral Parlour
 Consulting Room Convenience Store Corner Store Costume Hire Display Home Centre Drive Through Food Outlet Grouped Dwelling 	 Department Store Dry Cleaning Premises Education Establishment Funeral Parlour
 Convenience Store Corner Store Costume Hire Display Home Centre Drive Through Food Outlet Grouped Dwelling 	Dry Cleaning PremisesEducation EstablishmentFuneral Parlour
 Corner Store Costume Hire Display Home Centre Drive Through Food Outlet Grouped Dwelling 	Education EstablishmentFuneral Parlour
 Costume Hire Display Home Centre Drive Through Food Outlet Grouped Dwelling 	Funeral Parlour
 Display Home Centre Drive Through Food Outlet Grouped Dwelling 	
Drive Through Food OutletGrouped Dwelling	• Hull
OutletGrouped Dwelling	Llaurah
Grouped Dwelling	Hardware Store
	Hospital
 Hairdresser 	Kindergarten
	Market (retail)
Home Business – Cat 1	Mast or Antenna
Home Business – Cat 2	Motel
 Home Business – Cat 3 	 Night Club
Hotel	Nursing Home
 Laundromat 	 Open Air Display
Laundry	 Place of Assembly
Liquor Store	 Place of Worship
Lunch Bar	 Private Recreation
Medical Centre	 Residential Building
Multiple Dwelling	 Restricted Premises
Office	 Retirement Village
Pharmacy	 Showroom
Public Exhibition Facility	 Small Bar²
Reception Centre	 Stall – General
Recreation Centre	• Tavern
Restaurant	 Telecommunications
• Shop	Infrastructure
Single House	Trade Display
Take Away Food Outlet	
Theatre	
Veterinary Consulting	
Rooms	
 Veterinary Hospital 	
 Video Hire 	
Notes:	
 A change in land use may be permitted 	ed without planning approval where
complies with cl. 5.0 of Table 1.	
 Small Bar means a premises licensed of 	as a small bar under the Liquor Cont
Act and used to sell liquor for consumpti	

3. Land uses not listed in Section 4.0, which are listed as 'x' uses under the Scheme in the Mixed Use zone, are 'x' uses within the Precinct. Land uses listed in the Scheme in the Mixed Use zone as 'P', 'D' or 'A', but not listed in Section





4.0, or are unlisted in the Scheme, are to be considered in accordance with
clause 3.3 of the Scheme.

TABLE 4 – PLANNING REQUIREMENTS FOR PRECINCT C

In addition to the provisions of Table 1, the provisions of Table 4 apply to the area shown as Precinct C on Plan 1. Notwithstanding the provisions of Table 4, development requirements not specified within Table 4 are to be consistent with the provisions of the Business zone under the Scheme.

1.0 Precinct Specific	Precinct C, focused on the western end of Butler Boulevard, forms a
Objectives	commercial gateway to the centre and allows for bulky goods,
	showrooms and other similar commercial uses at the edge of the
	centre, in close proximity to the high traffic environment of Marmion
	Avenue.
	1.1 Encourage general continuity of built form along Butler Boulevard.
	1.2 Recognise that there is a demand for showrooms and bulky
	goods retailing in the centre and these uses are most
	appropriately located at the periphery of the centre in proximity
	to arterial roads and not in the immediate catchment to the rail
	station.
	1.3 Not detract from Precinct A as the location for shop retail uses,
	such as supermarkets and smaller floorplate retail uses.
	1.4 Develop a balanced approach to the location of car parking
	areas on Butler Boulevard, acknowledging that access to, and
	visibility of, car parking areas is an important factor for uses of this
	nature.
	1.5 Ensure appropriately managed and co-ordinated access to
	development from Marmion Avenue and Butler Boulevard, to
	avoid excessive disruption to traffic flow.
	1.6 Co-ordinate the scale and character of signage visible from
	Marmion Avenue.
	1.7 Ensure an appropriate interface is achieved between
	development in Precinct C and Marmion Avenue, as well as
	residential uses in adjoining Precincts.



0.0 Information to	In addition to the information requirements of Table 1, the following
2.0 Information to	In addition to the information requirements of Table 1, the following
be provided in	additional information is required to be submitted on a LDP or
Precinct C Local	development application in Precinct C:
Development	2.1 Demonstrate pedestrian connectivity between buildings and
Plans	pedestrian crossing points to Butler Boulevard and the path
	network as shown on Plan 1.
3.0 Core Precinct	In addition to the requirements of Table 1, LDPs and development
Specific	applications in Precinct C are to be consistent with the following
Development	development standards, to the satisfaction of council:
Standards	<u>Setbacks</u>
	3.1 A minimum nil setback and a maximum 23m setback applies to
	buildings directly adjoining Butler Boulevard. This setback may be
	varied to allow for building articulation or architectural features
	that contribute positively to the streetscape.
	Building Design
	3.2 A covered pedestrian walkway is to be provided to the façade of
	buildings adjoining Marmion Avenue and Butler Boulevard. The
	awning shall be designed at a pedestrian scale and provide an
	acceptable degree of shade and shelter. The awning shall be a
	minimum height of 3.0m and a maximum of 4.5m and a minimum
	of 2.5m deep.
	Carparking
	3.2 To avoid large areas of car parking adjoining Butler Boulevard, no
	more than two rows of perpendicular car parking and one access
	aisle is to be located between the building closest to Butler
	Boulevard. Large areas of car parking are to be predominately
	screened behind buildings.
	3.3 Variations to the car parking standards specified under the
	Scheme for non-residential development to a minimum rate of 1
	bay per 50m ² GFA will be considered as part of the assessment of
	the LDP or development application where:
	3.3.1 development has an active presentation to the public
	realm;
	3.3.2 development complies with clause 3.1 above; and



		3.3.3 car parking access and management allows for reciprocal
		use.
		3.5 The carparking variations specified in Cl 3.3 above do not apply to
		cinema / cinema complex and recreation centre, where
		carparking provision will be determined in accordance with the
		provisions of the Scheme.
		3.6 Landscaping is to be provided between the buildings and car
		parking fronting Marmion Avenue and the lot boundary, to the
		following minimum standard:
		3.6.1 Irrigated Roll on Turf; or
		3.6.2 Irrigated garden beds, with native shrubs and groundcovers
		at a density of 3 plants per m ² in single species, mass
		planting arrangements and a suitable mulch; or
		3.6.3 A combination of 3.6.1 and 3.6.2; and
		3.6.4 A suitable native tree species with a minimum trunk
		clearance of 4m at maturity, at a density of 2 trees per
		100m² of landscaping.
4	Land Use	4.1 Land use permissibility within Precinct C shall be in accordance
	Permissibility	with the Precinct C Land Use Permissibility Table below and the
		following provisions:
		4.1.1 The symbols used in the table have the same meaning as
		clause 3.2.2 of the Scheme.
		4.1.2 Notwithstanding the provisions of the Precinct C land use
		permissibility table 'shop' is only permitted in Precinct C
		where the gross retail floor space of the shop exceeds
		300m².

Uses1'D' UsesAmusement Facility / ParlourBeauty ParlourArt GalleryCar ParkAuction RoomChild Care CentreBakeryClub (non-residential)BankClub (non-residential)Car WashDepartment StoreCinemaDrive in TheatreCinema ComplexEducation EstablishmentConsulting RoomFactory UnitConvenience StoreFuneral ParlourCorner StoreHairdresserCostume HireHallDrive Through Food OutletHotelDry Cleaning PremisesHotelHardware StoreKindergartenHire ServiceLaundromatLaundryMast or Antenna
Cinema ComplexEducation EstablishmentConsulting RoomFactory UnitConvenience StoreFuneral ParlourCorner StoreHairdresserCostume HireHallDrive Through Food OutletHospitalDry Cleaning PremisesHotelHardware StoreKindergartenHire ServiceLandscape SuppliesLaundromatMarket (retail)

- Showroom •
- Take Away Food Outlet •
- Veterinary Consulting Rooms •
- Tavern Veterinary Hospital • **Telecommunications**
 - Video Hire
 - Theatre Trade Display Warehouse •

Notes:

1. A change in land use may be permitted without planning approval where it complies with cl. 5.0 of Table 1.

Small Bar²

•

•

Stall-General

Infrastructure

2. Small Bar means a premises licensed as a small bar under the Liquor Control Act and used to sell liquor for consumption on the premises, but not including the sale of packaged liquor; and with the number of persons who may be on the licensed premises limited to a maximum of 120.

3. Land uses not listed in Section 4.0, which are listed as 'x' uses under the Scheme in the Business zone, are 'x' uses within the Precinct. Land uses listed in the Scheme in the Business zone as 'P', 'D' or 'A', but not listed in Section 4.0, or are unlisted in the Scheme, are to be considered in accordance with clause 3.3 of the Scheme.

CLE Town Planning + Design

TABLE 5 – PLANNING REQUIREMENTS FOR PRECINCT D

In addition to the provisions of Table 1, the provisions of Table 5 apply to the area shown as Precinct D on Plan 1. Notwithstanding the provisions of Table 5, development requirements not specified within Table 5 are to be consistent with the provisions of the Mixed Use zone under the Scheme.

1.0	Precinct	Precinct D is a higher density residential and mixed use frame,		
	Specific	providing a transition between the non-residential core of the centre		
	Objectives	and the surrounding residential areas		
		1.1 Facilitate residential development and density maximising the		
		potential residential catchment of the centre and rail station.		
		1.2 Allow home based business.		
		1.3 Encourage mixed use activities compatible and complementary		
		to residential uses, typical of inner city residential areas.		
2.0	Requirement for	2.1 A LDP shall be submitted for non-residential development in		
	Local	accordance with Table 1.		
	Development	2.2 A LDP is not required to be submitted for residential development,		
	Plans	including home based business.		
3.0	Information to	3.1 Where LDPs are required in Precinct D, LDPs shall contain the		
	be provided in	information as set out in Table 1.		
	Precinct D Local			
	Development			
	Plans			
4.0	Development	4.1 Development standards for residential dwellings shall be in		
	Standards	accordance with the R-Codes, as varied by this Structure Plan		
		(specifically Table 1) and any approved Local Development Plan.		
		4.2 Where a LDP is required, in addition to the requirements of Table 1,		
		LDPs and development applications for non-residential		
		development in Precinct D are to be consistent with the following		
		development standards, to the satisfaction of council:		

<u>Setbacks</u>
4.2.1 A minimum 2m setback and a maximum setback of 3m applies to the building fronting the street, verandahs may be setback a minimum of 1.5m. This setback may be varied to allow for building articulation, architectural features that contribute positively to the streetscape or to maintain consistency in the streetscape.
<u>Building Design</u>
4.2.2 A covered pedestrian walkway is to be provided to the front façade of buildings adjoining the street. The awning shall be designed at a pedestrian scale and provide an acceptable degree of shade and shelter. The awning shall be a minimum height of 3.0m and a maximum of 4.5 m and a minimum of 2.5m in deep.
Carparking
 4.2.3 On site car parking is to not be located between the building and the primary street, with parking areas predominately sleeved behind buildings. 4.2.4 On street car parking is to be provided where possible. 4.2.5 The principal pedestrian access to non-residential tenancies directly adjoining the street is to be from the street.
4.3 On street parking can be included in determining car parking
provision for home based business / non-residential uses. Council
may also consider the potential for reciprocity between uses in
determining car parking requirements.

5.0	Land Use	5.1	Land use permissibility within Precinct D shall be in accordance			
	Permissibility		with the Precinct D Land Use Permissibility Table. The symbols used			
			in the table have the same meaning as clause 3.2.2 of the			
			Scheme.			
			PRECINCT D LAND USE PERMISSIBILITY TABLE			
			'P' Uses ¹ 'D' Uses			
			 Aged or Dependent Persons' Dwelling Ancillary Accommodation Display Home Centre Grouped Dwelling Home Business - Cat 1 Home Business - Cat 2 Home Business - Cat 3 Multiple Dwelling Nursing Home Single House Art Galley Beauty Parlour Bed & Breakfast Car Park Child Care Centre Civic Building Club (non-residential) Consulting Room Corner Store Costume Hire Education Establishment Hairdresser Hall Kindergarten Mast or Antenna Medical Centre Office Residential Building Restaurant Retirement Village 			
		Note				
			 A change in land use may be permined wintoor planning approval where it complies with cl. 5.0 of Table 1. Land uses not listed in Section 5.0, which are listed as 'x' uses under the Scheme in the Mixed Use zone, are 'x' uses within the Precinct. Land uses listed in the Scheme in the Mixed Use zone as 'P', 'D' or 'A', but not listed in Section 4.0, or are unlisted in the Scheme, are to be considered in accordance with clause 3.3 of the Scheme. 			

CLE Town Planning + Design

TABLE 6 – PLANNING REQUIREMENTS FOR PRECINCT E

In addition to the provisions of Table 1, the provisions of Table 6 apply to the area shown as Precinct E on Plan 1. Notwithstanding the provisions of Table 6, development requirements not specified within Table 6 are to be consistent with the provisions of the Mixed Use zone under the Scheme.

1.0 Precinct Specific	Precinct E allows for intensive land uses consistent with the principles of	
Objectives	transit oriented development. The PTA at-grade park and ride is a short	
	term use that will ultimately be redeveloped to maximize activity and	
	use adjoining the Butler rail station.	
	1.1 To facilitate and encourage future development above and	
	around the park and ride to accommodate development and	
	uses consistent with transit oriented development principles.	
	1.2 Allow for park and ride and associated facilities to be located	
	adjoining the Butler rail station in the short term.	
	1.3 Require safe and secure direct pedestrian connections to the	
	station from surrounding uses.	
2.0 Requirement for	2.1 A LDP is not required for development associated with the rail	
Local	station and park and ride land use. Notwithstanding this, a	
Development	development application is required for the continued use of the	
Plans	park and ride beyond 2019.	
	2.2 A LDP is required for development not associated with the park	
	and ride.	
3.0 Information to	In addition to the information requirements of Table 1 the following	
be provided in	additional information is required to be submitted on a LDP in Precinct	
Precinct E Local	E:	
Development	3.1 Details as to the proposed development of public spaces,	
Plans	including soft and hard landscape treatments.	
	3.2 Footpaths and pedestrian connections to the rail station and	
	Precinct A.	
4.0 Development	Where a LDP is required in Precinct E, the following development	
Standards	standards shall apply to LDPs and development applications in	
	addition to the requirements of the Scheme and general	
	development standards set out under Table 1:	

Sett	packs
4.1	A minimum 2m setback and a maximum setback of 3m applies to
	buildings fronting the street, a nil minimum setback applies to
	verandas. This setback may be varied to allow for building
	articulation or architectural features that contribute positively to
	the streetscape.
4.2	Buildings are permitted to have a nil setback to the principal
	pedestrian connection identified on Plan 1.
<u>Build</u>	ding Design
4.3	A covered pedestrian walkway is to be provided to the front
	façade of buildings adjoining the street. The awning shall be
	designed at a pedestrian scale and provide an acceptable
	degree of shade and shelter. The awning shall be a minimum
	height of 3.0m and maximum of 4.5m and a minimum of 2.5m
	deep.
4.4	The principal pedestrian access to tenancies directly adjoining
	the street is to be from the street.
4.5	The principal pedestrian access to tenancies directly adjoining
	the principal pedestrian connection identified on Plan 1 is to be
	from the pedestrian connection.
4.6	No maximum building height applies.
4.7	To ensure unobstructed views to the street and principal
	pedestrian connection from the ground floor, elevations of non-
	residential buildings are to be glazed to a minimum of 60% of the
	building frontage with a visually permeable material. This is
	measured as a proportion of the total building ground floor front
	elevation. All glazing shall meet energy efficiency requirements
	and BCA standards
Car	parking
4.8	On site car parking is not to be located between the building and
	the street, with large areas of parking predominately sleeved
	behind buildings fronting the street.
4.9	On street car parking is to be provided where possible.



5.0 Land Use	5.1 Land use permissibility within Precinct E shall be in accordance		
Permissibility	with the Precinct E Land Use Permissibility Table below and the		
,	following provisions.		
	5.1.1 The symbols used in the table have the same		
	,	clause 3.2.2 of the Scheme.	
	-	ling the provisions of the Precinct E	
		-	
		missibility table, 'showroom' is only a	
		e where the gross retail floorspace	
	does not exc		
	PRECINCT E LAND USE PERMISSIBILI	'D' Uses	
	Amusement Facility /	Aged or Dependent	
	Parlour	Persons' Dwelling	
	Ancillary Accommodation	Bed & BreakfastClub (non-residential)	
	Art Gallery	 Club (non-residential) Department Store 	
	Auction Room	Drive in Theatre	
	Bakery	Dry Cleaning Premises	
	BankBeauty Parlour	 Education Establishment Funeral Parlour 	
	Car Park	Hall	
	Child Care Centre		
	Cinema	Hospital	
	Cinema ComplexCivic Building		
	Consulting Room	-	
	Convenience Store		
	Corner Store	• Motel	
	Costume HireDisplay Home Centre	Night ClubPlace of Assembly	
	 Display Home Centre Drive Through Outlet 	 Place of Worship 	
	Grouped Dwelling	Private Recreation	
	Hairdresser	Residential Building	
	Home Business – Cat 1	Restricted Premises Detirement Village	
	 Home Business - Cat 2 Home Business - Cat 3 	 Retirement Village Showroom	
	Hotel	Small Bar ¹	
	Laundromat	 Stall-General 	
	Laundry	• Tavern	
	Liquor Store		
	Medical Centre Multiple Dwelling		
	Office	Trade Display	
	Pharmacy	Veterinary Consulting	
	Public Exhibition Facility	ition Facility Rooms	
	Reception Centre		
	 Recreation Centre Restaurant 		
	 Shop 		
	Take Away Food Outlet		



Video Hire	
Notes: 1. A change in land use may be permit complies with cl. 5.0 of Table 1. 2. Small Bar means premises licensed of Act and used to sell liquor for consump the sale of packaged liquor; and with the licensed premises limited to a maxir 3. Land uses not listed in Section 5.0, Scheme in the Mixed Use zone, are 'x' of in the Scheme in the Mixed Use zone	which are listed as 'x' uses under the uses within the Precinct. Land uses listed as 'P', 'D' or 'A', but not listed in the Scheme, are to be considered in

TABLE 7 – PLANNING REQUIREMENTS FOR PRECINCT F

In addition to the provisions of Table 1, the provisions of Table 7 apply to the area shown as Precinct F on Plan 1. Notwithstanding the provisions of Table 7, development requirements not specified within Table 7 are to be consistent with the provisions of the Business zone under the Scheme.

1.0	Precinct Specific	Precinct F represents the eastern end of the Centre, and provides for a		
	Objectives	combination of commercial, office and residential mixed use in a		
		linear format along Butler Boulevard. This precinct will evolve over		
		time to connect the transit oriented station precinct to the (future) high		
		traffic environment of the Mitchell Freeway extension.		
		1.1 Encourage the extension of linear development of mixed uses		
		along Butler Boulevard.		
		1.2 Provide for flexibility in land use and built form to create a robust		
		statutory environment which will enable the evolution of the		
		precinct over time.		
		1.3 Recognise a broad change in land use and building character		
		type between the transit oriented station precinct and the future		
		high traffic / high exposure access to the Mitchell Freeway		
		extension.		
		1.4 Develop a balanced approach to the location of car parking		
		areas on Butler Boulevard, acknowledging that access to, and		
		visibility of, car parking areas is an important factor for many		
		commercial uses.		
		1.5 Ensure appropriately managed and coordinated access to		
		development from Butler Boulevard.		
		1.6 Recognize the change in land use occurring at the interface of		
		the commercial in Precinct F and residential uses in the adjoining		
		Precinct D.		
2	Information to	In addition to the information requirements of Table 1, the following		
	be provided in	additional information is required to be submitted on a LDP or		
	Precinct F Local	development application in Precinct F:		
	Development	2.2 Demonstrate coordinated and consolidated access from Butler		
	Plans	Boulevard to parking areas and buildings within each street block;		



		2.3 Demonstrate pedestrian connectivity between developments;		
		2.4 Demonstrate coordination of built form within each street block;		
		2.5 Demonstrate provision for service access.		
3	Core Precinct	In addition to the requirements of Table 1, LDPs and development		
	Specific	applications in Precinct F are to be consistent with the following		
	Development	development standards, to the satisfaction of Council:		
	Standards	<u>Setbacks</u>		
		3.2 A minimum nil setback and a maximum 23m setback applies to		
		buildings directly adjoining Butler Boulevard. This setback may		
		be varied to allow for building articulation or architectural		
		features that contribute positively to the streetscape.		
		3.3 An approach which delivers a coordinated setback regime on		
		each street block must be demonstrated.		
		Building Design		
		3.4 A covered pedestrian walkway is to be provided to the façade		
		of buildings along Butler Boulevard, irrespective of their setback.		
		The awning shall be designed at a pedestrian scale and provide		
		an acceptable degree of shade and shelter. The awning shall		
		be a minimum height of 3.0m and a maximum of 4.5m and a		
		minimum of 2.5m deep.		
		3.5 The principal pedestrian access to tenancies abutting Butler		
		Boulevard (or parking area between the building and Butler		
		Boulevard) is to be from Butler Boulevard.		
		3.6 To ensure unobstructed views to the street, ground floor		
		elevations for non-residential uses to Butler Boulevard are to be		
		glazed to a minimum of 60% of the building frontage with a		
		visually permeable material. This is measured as a proportion of		
		the total building ground floor front elevation. All glazing shall		
		meet energy efficiency requirements and BCA standards.		
		3.7 No maximum building height applies in the area coded		
		Residential R160,		
		3.8 All ground floor dwellings adjoining Butler Boulevard are to be		
con		constructed to the following minimum standards:		
		3.8.1 Minimum floor to floor height of 3.2m for the grou		
		floor for all ground floor dwellings; and		

	Τ		
	3.8.2 Minimal change in level between ground level and the		
	adjacent street, or demonstration of how universal		
	access can be achieved.		
	Carparking & Vehicular Access		
	3.9 To avoid large areas of car parking adjoining Butler Boulevard,		
	no more than two rows of perpendicular car parking and one		
	access aisle is to be located between the building and Butler		
	Boulevard and / or side streets. Larger areas of car parking are		
	to be predominately screened behind buildings.		
	3.10 Variations to the car parking standards specified under the		
	Scheme for non-residential development to a minimum rate of		
	1 bay per 40m ² will be considered as part of the assessment of		
	the LDP or development application where:		
	3.10.1 development has an active presentation to the public		
	realm;		
	3.10.2 development complies with clause 3.1 above; and		
	3.10.3 car parking access and management allows for		
	reciprocal use.		
	3.11 The carparking variations specified in Cl 3.10 above do not		
	apply to cinema, cinema complex or recreation centre, where		
	carparking provision will be determined in accordance with the		
	provisions of the Scheme.		
4 Land Use	4.1 Land use permissibility within Precinct F shall be in accordance		
Permissibility	with the Precinct F Land Use Permissibility Table below and the		
	following provisions:		
	4.1.1 The symbols used in the table have the same meaning as		
	clause 3.2.2 of the Scheme.		
	4.1.2 Notwithstanding the provisions of the Precinct F land use		
	permissibility table, a 'shop' use is only permitted in Precinct		
	F where the net lettable area of the 'shop' tenancy is a		
	maximum of:		
	a. 300m ² if located on land immediately adjoining the		
	intersection of Butler Boulevard and Benenden Avenue.		
	b. 300m ² if located on land between Benenden Avenue		
	and the rail line.		

885DCRep805D

www.cleplan.com.au				

c.

PART 1 - IMPLEMENTATION

200m² if located elsewhere within the precinct


 Land uses not listed in Section 4.0, which are listed as 'x' uses under the Scheme in the Business zone, are 'x' uses within the Precinct. Land uses listed in the Scheme in the Business zone as 'P', 'D' or 'A', but not listed in Section 4.0, or are unlisted in the Scheme, are to be considered in accordance with clause 3.3 of the Scheme.
 Industry-Light use may only be considered within Sub-Precinct F-a



Γ



5.	Multiple Dwellings are Discretionary ('D') within Sub-Precinct F-a
6.	Subject to Clause 4.1.2 of Table 7



CLE Town Planning + Design www.cleplan.com.au

BUTLER DISTRICT CENTRE ACTIVITY CENTRE STRUCTURE PLAN No. 87 Consolidated Agreed Structure Plan including Amendment No. 4

		Town Square / Open Space and Principal Pedestrian Connections
	*	Landmark Site
' Ride	0 0 0 0	Full movement controlled intersection
RIGE	0	Roundabout
ossing	_	On road cycle lanes / paved shoulders. Shared path both sides, except where urban footpaths serve retail / commercial precincts
gnated nfirmed		On road cycle lanes / paved shoulders. Shared path one side and footpath opposite side
ess Plan		Footpath both sides
		Access to be determined in consultation with City of Wanneroo
		No Vehicle Access Permitted

