



RIGHTS-OF-WAY OR LANEWAYS IN ESTABLISHED AREAS - GUIDELINES -

1. Background

- ▶ These Guidelines outline the Western Australian Planning Commission's policy, practice and procedures regarding residential and commercial development and subdivision (including strata and survey-strata) adjoining existing rights-of-way (or laneways). The development of rights-of-way in "greenfield" subdivisions in new urban areas, or on large urban infill sites within developed areas, is addressed in the Commission's Policy No. DC 2.6 and *Liveable Neighbourhoods: Community Design Code*.
- ▶ A discussion paper, *Rights-of-way or laneways*, was released to local government in 1998. These Guidelines have taken account of the comments received.
- ▶ Private rights-of-way are separate parcels of land which were generally created in subdivisions around the turn of the century to facilitate sanitary collections from the rear of properties prior to the installation of reticulated sewerage. They usually remained in the ownership of the original subdivider after the lots shown on the Plan or Diagram of Survey were sold off. Private rights-of-way are nowadays often the 'balance of title' contained in a Certificate of Title still registered in the name of the original subdivider, perhaps a deceased

person or a defunct company. However, these private rights-of-way are often used by the public for a range of purposes and in established areas are increasingly relied upon for access. Sometimes these rights-of-way have been acquired by the local government and, in many cases, dedicated as public roads.

- ▶ There are a range of approaches which have been adopted for the management of private rights-of-way. These range from upgrading their status to a minor public street with public utilities, lighting, postal services, landscaping and parking bays, to paving and draining, to restricting access by installation of bollards, to complete closure and division between adjacent owners. This Planning Bulletin encourages the adoption of a coordinated long-term approach to the use and upgrading of rights-of-way in areas undergoing redevelopment and outlines some of the key issues and approaches to be generally applied. It is recognised that management approaches should reflect local circumstances.

2. Definitions

- "Dedication" means the acquisition as Crown land of any alienated land or private road which has been used by the public, following a request from a local government to the Minister for Lands under Section 56 of the *Land Administration Act 1997*.
- "Laneway" means a public road designed to provide access to the side or rear of lots principally for vehicle parking.
- "Private road" means alley, court, lane, road, street, thoroughfare or yard on alienated land which is

shown on a Plan or Diagram of Survey deposited with the Registrar of Titles and which:

- (a) is not dedicated, whether under a written law or at common law, for use by the public;
- (b) forms a common access to the land, or premises, separately occupied; or
- (c) is accessible from an alley, court, lane, road, street, thoroughfare, yard or public place that is dedicated, whether under a written law or at common law, to use as such by the public. (Section 3 of the *Land Administration Act 1997*).

"Private right-of-way" means the balance of title from a subdivision held in private ownership over which adjacent owners have an implied right of access under Section 167A of the *Transfer of Land Act*.

"Public right-of-way" means land vested in the Crown under the *Transfer of Land Act 1893* for public use. These can be ceded to the Crown on subdivision under Section 20A of the *Town Planning and Development Act*.

"Public road" means land reserved, declared or otherwise dedicated under the *Land Administration Act 1997* as an alley, bridge, court, lane, road, street, thoroughfare or yard for the passage of pedestrians or vehicles or both.

3. Who has the right to use private rights-of-way?

- ▶ Section 167A of the *Transfer of Land Act* indicates that the registered proprietors of the original lots, which were included in the Plan or

Diagram of Survey creating that private right-of-way, have an 'implied right' easement to use them provided it is shown as a 'right-of-way' on the Land Titles Office Plan or Diagram of Survey. The present owners

of abutting lots (providing the lots, or lots from which they were created, were included on the Plan or Diagram of Survey in which the right-of-way was created) have the right to upgrade, seal and drain and to use, along with guests and invitees, the right-of-way for vehicular and pedestrian access.

- ▶ Sometimes lots which abut a right-of-way do not have a section 167A easement because they were not created on the same Plan or Diagram of Survey as the right-of-way. Landowners in these cases may, nonetheless, still have rights to use a right-of-way at Common Law or under the *Prescription Act, 1832*, but investigation of this would need to be undertaken.

4. What should be done to rights-of-way in established areas?

▶ Redevelopment adjacent to rights-of-way

- Access via rights-of-way facilitates the development of infill dwellings at the rear of existing residences which utilise rights-of-way as their sole vehicular access to the dedicated street network or for rear access to new narrow lots. This may facilitate the greater use of urban land without detrimentally affecting the streetscape particularly in heritage areas. The use of rights-of-way is considered to provide a superior living environment to battleaxe development. In particular it is considered preferable for houses to face streets and laneways rather than be enclosed in backyards. It also contributes to personal safety

through surveillance.

- However, redevelopment adjacent to unmade private rights-of-way may increase vehicular usage and create management problems for which there is no identifiable responsible authority.
- Where sole vehicular access via a right-of-way is proposed for residential subdivision and/or development and the right-of-way is not a public road, applicants should be required to demonstrate (by submission of copies of the Certificate of Title and original Plan or Diagram of Survey or other documentation) that they have a right to use the right-of-way.
- Where sole vehicular access is via a right-of-way and one of the lots does not have a frontage to the public street then there will generally be a requirement to provide a pedestrian access leg to the public street for postal, visitor, rubbish collection and public utilities (eg. water, gas, electricity and telephone). This can be in the form of a portion of the rear lot or as common property in the case of a strata title or survey-strata subdivision. While one metre access legs may be accepted where a site is constrained by existing buildings worthy of retention being set back less than 1.5 metres from the boundary, generally a 1.5 metre width is favoured as providing sufficient space for services and to avoid visually unattractive narrow alleyways.

▶ Upgrading of rights-of-way

- The upgrading of rights-of-way to a sealed and drained standard should be required in areas of intensification of residential and commercial development. It is suggested that proponents of development with sole

vehicular access via the right-of-way should be required to seal and drain the portion of right-of-way abutting the subject property (if not already constructed to that standard) and make trafficable (to the satisfaction of the local government) the rest of the right-of-way to the closest public street. In other cases contributions towards right-of-way upgrading may be required as a condition of subdivision or development approval. Such contributions may be set aside in a trust fund by the local government for the exclusive use of right-of-way upgrading in the locality.

- In order to provide for the upgrading of a right-of-way to facilitate adjacent development, a more coordinated approach may be required. The preparation of a plan for a whole street block in which widening, parking, lighting and other services are provided for may be desirable. Such a plan was successfully implemented on Easton Lane, off Sackville Terrace, Doubleview.
- Where local government is desirous of expending rate revenue and developer contributions on right-of-way upgrading it is desirable for the local government to seek the dedication of the right-of-way as a public road or to acquire ownership of the right-of-way.

5. What are the Appropriate design standards for rights-of-way?

- ▶ Some of the design solutions associated with 5 or 6 metre wide rights-of-way in established areas are illustrated on the attached diagrams.

5.1 Width of rights-of-way

- ▶ Rights-of-way were not designed to carry frequent vehicular traffic. The narrow width of some rights-of-way

coupled with increased vehicular traffic could lead to property damage and accidents due to the insufficient space for the manoeuvring of vehicles around bends and into and out of properties. The narrow width of many rights-of-way can leave insufficient space for passing either oncoming or parked vehicles and is potentially unsafe for pedestrians. Before comprehensive development occurs adjacent to rights-of-way there may be a need for widening.

- ▶ The Commission's Policy DC 2.6, Residential Road Planning, requires a minimum width of 6 metres for a right-of-way for vehicular access. This is based upon the minimum space required to manoeuvre a car into or out of a garage, carport or parking space at right angles to the right-of-way. It allows sufficient width for vehicles to pass safely, whilst also allowing room for pedestrians or cyclists.
- ▶ It is recognised that vehicles can pass safely (at low speed) in a 5 metre wide right-of-way. Therefore, existing 5 metre wide rights-of-way may not require widening if they only provide (vehicular) access to garages, and are not the main (pedestrian) access to dwellings or commercial premises adjoining the rights-of-way. For example, where a pedestrian access leg to the public street is provided (as in paragraph 4.1 above) pedestrians, emergency, postal and other services and rubbish collectors have alternative access to the rear development and to on-street parking, and so the requirement to widen the right-of-way may be waived where all development in the street block is likely to follow this pattern.
- ▶ In commenting on proposals to dedicate rights-of-way or considering resulting Plans or

Diagrams of Survey, the Commission will not normally support dedication where the width is less than 5 metres, and where the right-of-way is the sole frontage for the proposed lots.

- ▶ It should be noted that with a 5 metre right-of-way the garages (at right angles to the right-of-way) should be set back at least one metre from the property boundary to achieve the required manoeuvring space for a vehicle to reverse into or out of the garage. Where garages are set back behind the property boundary it is recommended that a 45 degree visibility splay either side of the garage entrance should also be kept clear of development to improve visibility and make turning manoeuvres easier. Alternatives to the one metre garage set back could include wider garages (which allow the turning manoeuvre to commence within the garage) or garages aligned at less than 90 degrees to the right-of-way (which reduces the width of the turning path). It is recognised that some local governments already have more restrictive requirements in this regard.
- ▶ Where particular constraints preclude the widening of a right-of-way for residential developments, the following alternative design solutions may be acceptable:-
 - one-way traffic operation on a right-of-way less than 5 metres wide;
 - on-site parking bays constructed immediately adjacent and parallel to the right-of-way (not within the right-of-way);
 - narrow one-lane sections of right-of-way with wider sections for vehicles to pass at appropriate locations, and other similar approaches.

Any such proposal needs to be carefully considered in relation to the operation of the surrounding street network and must be endorsed by the relevant local government before a subdivision or development application is approved.

5.2 Length of rights-of-way

- ▶ In commenting on proposals to dedicate rights-of-way or considering resulting Plans or Diagrams of Survey, the Commission will generally not support dedication where rights-of-way are of excessive length (in excess of 200 metres) and where there is no alternative pedestrian access to the street. Having such long or narrow streets as the sole access (both for vehicles and pedestrians) to properties is considered undesirable and may result in excessive walking distances to visitor parking in the surrounding streets and result in visitors parking in the right-of-way.
- ▶ Where a length of right-of-way longer than 200 metres is dictated by the existing street network then it may require special treatment to restrict traffic volumes and speeds.
- ▶ Some possible treatments for long rights-of-way could include the use of traffic calming devices to slow traffic, intermediate connections to the local street network, and wider sections of right-of-way to allow for the installation of visitor parking.

5.3 Traffic flow and design speed

- ▶ Policy DC 2.6 provides that traffic flows on rear laneways should not exceed 100 vehicles per day (vpd) at any one point.
- ▶ The Commission's *Guidelines for the Design and Geometric Layout of Residential Roads* (which supplements Policy DC 2.6)

indicates a maximum desirable operating speed of 20 km/h or less.

- ▶ The Liveable Neighbourhoods: Community Design Code suggests an indicative maximum traffic volume of 300 vpd and target maximum speed of 15 km/h.
- ▶ Speeds and volumes within the upper limits identified for laneways by these different documents (ie. 300 vpd and 20 km/h) are acceptable to the Commission, until these documents are reviewed.

5.4 Truncations

- ▶ The Commission's *Policy DC 1.7, General Road Planning*, suggests that a 2.8 metre truncation (2 m x 2 m) may be required where two private streets (ie. rights-of-way) meet or where a private street meets a public street. *The Liveable Neighbourhoods: Community Design Code* is silent on the need for truncations for rights-of-way but the Code does not require truncations for streets except in circumstances where site-specific problems result in sight line or turning radii constraints. An acceptable alternative to truncations could be to reduce the width of the pavement at the neck of the laneway.
- ▶ To improve sight lines and turning radii, it is recommended that appropriate truncations be required where two rights-of-way meet (or at any bend in a right-of-way of 60 degrees or more). A 2.8 metre truncation (2 m x 2 m) would improve sight lines and turning radii for cars and, in 6 metre rights-of-way, may be adequate for most rubbish trucks (this should be confirmed with the relevant local government). For larger vehicles, such as furniture removal vans and fire engines, larger truncations may be required upon the

recommendation of local government. If rubbish trucks are required to access the right-of-way they should not have to reverse into or out of the right-of-way. As other larger vehicles will be much less frequent it may be acceptable for them to reverse in or out of the right-of-way.

- ▶ Where the right-of-way connects to a public street the need for a truncation is related to sight lines between vehicles in the right-of-way and pedestrians or cyclists on paths in the street verge. Where a path is located close to the property boundary a truncation should be applied or the pavement reduced in width at the neck of the laneway, but if there is no path, or if the path is located away from the property boundary, the truncation could be reduced in size or not required.

5.5 Parking provision

- ▶ The parking needs of residents should be accommodated on-site or, in some cases, by an appropriate cash-in-lieu arrangement for the local government to provide public parking facilities. In determining parking requirements for developments no allowance or credit should be given for parking within the right-of-way.
- ▶ Wherever possible, visitor parking (in excess of the local government requirements for on-site parking provision) should occur on the surrounding streets with access to residences along the right-of-way or through the property (eg. where a pedestrian access leg is provided, or common property in a strata titled or survey-strata development). Where this is not possible then visitor parking should be provided on-site.

5.6 Lighting

- ▶ Where there is a reasonable expectation that pedestrians will

use the right-of-way (especially in the case where residences do not have alternative pedestrian access to the public street) lighting should be provided at appropriate intervals (to the satisfaction of the local government) as an essential component of the right-of-way design. This could be provided, for example, by attaching lighting to adjoining buildings with the owners' consent to a long-term lease at peppercorn rental, with the local government funding the installation, maintenance and tariff.

- ▶ Where there is not a reasonable expectation that pedestrians will use the right-of-way (eg. where the right-of-way only provides vehicular access to garages) the requirement for provision of lighting would be at the discretion of the local government but should usually be encouraged for improved security.

5.7 Surveillance of rights-of-way

Building design which allows for the overlooking of rights-of-way from facing buildings should be encouraged. Potential for surveillance from windows provides greater security for the users of the rights-of-way and adjacent properties.

6. How should improvements to rights-of-way be implemented?

▶ Dedication of rights-of-way

- Dedication of private rights-of-way (or acquisition of the private street by the local government) is often considered desirable to enable management and maintenance by the local government, particularly where redevelopment is taking place adjacent to the private right-of-

way. Even where upgrading is not envisaged, it is considered appropriate that rights-of-way be considered as public areas for which local government should be the responsible authority. Dedication of rights-of-way also resolves the legal question of who has a right to use the right-of-way.

- ▶ Where the private right-of-way is dedicated and provides the only way of accessing individual dwellings or commercial premises, it becomes a street in function and would need to provide the normal services of a street such as public utilities, access for emergency vehicles, postal services, refuse collection, street name and numbering. Dedication means that the general public and various public utility authorities have the right to use the right-of-way, in addition to the adjoining residents.
- ▶ Section 52 of the *Land Administration Act 1997* provides for a local government to request the Minister for Lands to close a right-of-way by acquiring the land as Crown land where the land is designated for a public purpose on a plan of survey or sketch plan. The procedure requires the local government to notify the holder of the freehold land, the adjacent owners and suppliers of public utilities to the land. The local government is also required to advertise its intention in a daily newspaper circulating throughout the State and to provide at least 30 days within which objections may be lodged.
- ▶ Under Section 56 of the *Land Administration Act 1997* the local government may request the Minister for Lands to dedicate the land as a road. Under this section the owner of the freehold land on which a right-

of-way had been used by the public for over ten years is not entitled to claim compensation.

6.2 Securing land for widening of rights-of-way

- ▶ Sections 28 (3) or 20A of the *Town Planning and Development Act 1928* can be used to require private right-of-way or narrow dedicated laneway widening. Section 28 (3) can be used to dedicate the widening as a public street where the widening connects to the existing dedicated street network, or section 20A can be used to create a reserve for public right-of-way in the event that the widening will not connect to the existing dedicated public street system. Section 28 may also be used to create an addition or truncation to a public street by showing it on a strata or survey-strata plan. This would administratively simplify the widening of public rights-of-way where strata titles development is occurring as once the widening is shown on the strata plan it automatically vests without requiring formal subdivisional approval.
- ▶ Wherever a subdivision (including strata title or survey strata) or development gains access from a right-of-way less than 6 metres wide (or 5 metres, if appropriate), the approval may require that the land required to widen the laneway to 6 metres (assuming equal widening on both sides of the right-of-way, where appropriate) will be given up free of cost to be dedicated to public use. While this could leave the right-of-way at less than the desired width for much of its length until redevelopment occurred on the other adjacent properties, a long-term view needs to be taken. This reflects the increasing need for greater width (improved vehicle passing opportunities, etc) as

the number of developments accessing the right-of-way grows.

- ▶ For development applications the requirement to give up land for widening the right-of-way will necessitate a subdivision or strata application, although such an application is usually sought by developers to provide separate titles for new units.
- ▶ Where a subdivision or development is adjacent to a right-of-way less than 6 metres wide (or 5 metres, if appropriate) but does not, or is not required to, make use of the right-of-way for access, it may not be considered equitable to require land for widening the right-of-way to be given up free of cost. However, development on such properties should be encouraged to be set back by an extra amount equal to any widening required so that the local government has the option to purchase land to widen the right-of-way in the future if this is allowed for as part of a comprehensive development plan for the right-of-way.

6.3 Local government policies

- ▶ It is considered appropriate for individual local governments to refine these guidelines to take into consideration local circumstances. Local governments are requested to notify the Ministry for Planning of any adopted rights-of-way policy to ensure that in the Ministry's advice to the Commission on individual subdivision and strata applications local requirements are taken into account.
- ▶ Developers are encouraged to contact the relevant local government before lodging applications to determine whether the local government has additional requirements to those set out above.

7. Information and comment

The Commission invites comments on these guidelines for the development and use of rights-of-way or laneways. Comments should quote reference number 402/2/1/237 and be addressed to:

Ministry for Planning
Attention: Senior Manager Policy


CONTACT:

Albert Facey House
469 Wellington Street
PERTH WA 6000


As part of its continuing improvements to its service to customers, clients and the public, the Ministry for Planning has established a website at the following address:

<http://www.wa.gov.au/gov/planning>


The site contains a range of



TYPICAL CROSS SECTION OF A 6m LANEWAY



TYPICAL 6m LANEWAY IN AN ESTABLISHED RESIDENTIAL AREA



TYPICAL 5m LANEWAY IN AN ESTABLISHED RESIDENTIAL AREA